



DISTRIBUTING CO., INC.

S I N C E 1 9 5 1

HAY & FORAGE EQUIPMENT GUIDE



EDNEY DISTRIBUTING CO., INC.

888.443.3639 • WWW.EDNEYCO.COM • @EDNEYCO



ABOUT US

Edney Distributing Company, Inc. is a wholesale distributor of high quality equipment focusing on the following markets: agricultural, lawn and turf maintenance, forestry, and light industrial. For a complete listing of our equipment (including hay equipment, rotary cutters, zero-turn mowers, ATV and skid steer attachments, and snowblowers), reference our online catalog at www.edneyco.com/products.

Comprised of more than 1,000 reputable retail equipment dealers, our dealer network is represented in South Dakota, North Dakota, Minnesota, Wisconsin, Iowa, Michigan, Illinois, and Montana. We are proud to supply our dealers with innovative attachments and specialized equipment from manufacturers around the world. Most of the manufacturers for whom we distribute products have been business partners with us for many years, some dating back to the 1950s. However, we are continually searching for new products to better help our dealers meet their customers' changing needs.

Experienced Edney team members offer value-added services to dealers including product specifications and pricing, logistics, warranty support, and training. Our offices are linked together by state-of-the-art phone and computer systems. No matter where a team member is based, we are able to offer friendly, speedy, and accurate dealer support.

Locations:

- Fargo, North Dakota
1230 43rd Street NW, Fargo, ND 58102
- Huron, South Dakota
1895 Highway 14 East, Huron, SD 57350
- Lakeville, Minnesota
8485 215th Street W., P.O. Box 1236, Lakeville, MN 55044
- Portage, Wisconsin
2571 W. Wisconsin St., Portage, WI 53901



For more information, visit www.edneyco.com.

CONTENTS

BAUMAN MANUFACTURING

5710 Hay Fluffer Tedder.....	4
------------------------------	---

ENOROSI

BFT/BFS Series Double-Blade Sickle Bar Mowers	4
DM Disc Mower	4
RR 320 Rotary Rake	5
RR 420 EVO Rotary Rake	5
DR420 Rotary Tedder Rake	5
Dragonfly 7700 Rotary Rake	5
Hay Top 300 - 2 Rotor Tedder Rake	6
Vortex G2V Hay Tedder	6
Vortex G4V/G4V-EL Hay Tedder	6
Vortex G6V Hay Tedder	6
Easy Rake	7
Batrake	7
RT7-9 Wheel Rake	7
RP Wheel Rake	7
Maximus Hay Rake	8
BW100 Bale Wrapper	8

FRANSGÅRD

TI-6000 Rotary Rake	9
TI-6000FL Rotary Rake	9

HLA

Bale Slicer	9
Spear Attachments	10
Blades/Grapple Buckets	10
Bale Squeezers/Grabbers	10

MCHALE

691 Round Bale Handler	11
R5 Round Bale Handler	11
994 Bale Splitter	11
991 Round Bale Wrapper	12
991 High Speed Bale Wrapper	12
995 Square Bale Wrapper	12
998 High Output Square Bale Wrapper	12
Orbital High Speed Round Bale Wrapper	12
V8 Variable Chamber Round Baler Range	13
V6 Variable Chamber Round Baler Range	13
F5500 - 15 Knife Chopper Round Baler	13
F5600 - 25 Knife Chopper Round Baler	13
Fusion 3	14
Fusion 3 Plus	14
Fusion Vario	14
Pro-Glide B9000 Combination Mower	14
R62-72 Center Delivery Rake	15

METAL-FACH

Z560 Bale Wrapper	15
Z577 Bale Wrapper	15
Convertible Bale Handler	16

PITBULL

Dozer Blades for 4-Wheel Drive Tractors	16
Dozer Blades for Front Wheel Assist Tractors	16
Silage Rake	16

TEAGLE

Tomahawk 8500 Chief	17
Tomahawk 1010	17
Tomahawk C12 Calibrator	17
Tomahawk 4040-5050	17
Telehawk	17

TUBELINE

Bale Boss 1	18
Accelerator	18
Accumul8	19
BF5000SL	19
Technobale 980 Mover	19
TL1700SR	20
TL1000R	20
TL50	20
TL60	20
TL70	21
TLR5000	21
ECV Series Bale Wrappers	21

TWINSTAR

Twinstar 5 Bar & 7 Bar Series Basket Rakes	22
Lonestar Single Basket Rake	22

WORKSAVER

Bale Spears	23
Bale Squeezers/Grabbers	23
Bale Unrollers	23

In addition to hay equipment, Edney Distributing is a full-service distributor of agricultural, light industrial, forestry, and landscape equipment.

HAY FLUFFER TEDDER



5710 HAY FLUFFER TEDDER

The Bauman Hay Fluffer Tedder is designed to gently lift and release hay with minimal leaf damage. The Fluffer Tedder allows air to move through hay and gives additional windrow height for faster drying times. The result is better control over how hay dries with a uniform cure.

Key Features:

- 5-Bat real design lifts hay allowing air in for a reduced drying time
- Adjustable tines
- Tandem Wheels Option, pictured
- Tedding Width: 7 feet
- Overall Width: 10 feet, 4 inches
- PTO Drive Speed: 540 RPM



SICKLE BAR MOWERS

BFT/BFS SERIES DOUBLE-BLADE SICKLE BAR MOWERS

These sickle bar mowers can cut from -45° to $+90^{\circ}$ from horizontal to allow mowing hedges, ditches, banks, etc. The double-action cutterbar ensures a sharp, clean cut on any type of grass and also balances the machine operation. The compactness and relatively light weight of these mowers allows them to be used on lower-powered tractors, ensuring money savings as well as productivity. All mowers are equipped with an automatic safety release to protect the bar from any obstacles. The mowers are individually tested before shipment and come with an extra sickle.



DISC MOWERS

DM DISC MOWER

Enorossi disc mowers are equipped with hydraulic lift, an automatic safety release to protect the bar from any obstacles, a PTO shaft with over-running clutch, a heavyweight protection cover, and a disc-style swath divider. The high-quality steel ENOCUT cutting bar is manufactured totally in-house by Enorossi. Rossi offers cutterbars with both 2-blade and 3-blade (certain sizes only) designs.



RR 320 ROTARY RAKE

The RR 320 Rotary Rake comes with an oil bath gearbox, slip-clutch-protected PTO shaft, and pneumatic pivoting wheels. The tine arm wall thickness is increased to 5 mm, and the machine has an articulated frame with shock absorber and 16.650-8 tires.



RR 420 EVO ROTARY RAKE

The RR 420 EVO Rotary Rake is available in rear-mounted and pull-type versions. It comes with four tandem pneumatic wheels for precise raking action and clean forage, even on uneven ground. The tandem axles provide a wide stance between the wheels in order to give the rake optimum stability on slopes. This also places the wheels close to the rake teeth, providing excellent raking height control. On the pull-type version, the HIGHSPACE system and tandem wheel stability allow the rake to lift up 20" from the ground in order to avoid touching the windrows already made. The tangential tine arms provide optimum raking quality. Working height adjustment is hydraulic, the gearbox is oil bath, and the tire size is 18.850-8.



DR420 ROTARY TEDDER RAKE

The DR420 is ideal for medium and large farms that require a multi-functional machine. It is the ideal machine for farmers who want to create either central- or side-delivered windrows, depending on the quantity of the harvested material. It can also perform many different tedding functions and provides optimal processing of your high-quality forage. The machine is equipped with driveline protection and twin wheels, and it provides outstanding performance with a working speed of almost 10.5 mph, subject to field conditions.



DRAGONFLY 7700 ROTARY RAKE

This semi-mounted center delivery rotary rake is designed for large operations. The rake has oil bath gearboxes and a slip-clutch-protected PTO shaft. Both opening and closing movements and working width are hydraulically controlled from the tractor cab. There are 2 – 10.075-15.3 tires on the main frame and 8 – 18.850-8 tires mounted on tandem axles. A light kit is standard equipment. By removing three of the tine holder arms from each rotor, the transport height is less than 13 feet.



TEDDERS



HAY TOP 300 - 2 ROTOR TEDDER RAKE

The HAYTOP 300 - designed for small and medium farms, is a tedder-rake combination with adjustable tines that are kept in the horizontal working position by centrifugal force. The tines float through the stubble to move all the crop. During the raking phase the windrow width can be adjusted using the 2 adjustable deflectors. The HAYTOP 300 has both wide and narrow tines that provide a wide working surface.



VORTEX G2V HAY TEDDER

The G2V rotary tedder is an ideal machine for situations requiring a smaller machine. The pull-type version has 15.6-6 tires and comes standard with a slip-clutch-protected PTO shaft. The working angle of the rotors can be adjusted with a hand crank.



VORTEX G4V/G4V-EL HAY TEDDER

This robust 4-rotor tedder hydraulically folds – ideal for medium farms. The main components are grease lubricated so that maintenance of the main components is fast and easy. The machine is available in 17- and 19-foot sizes, and both are equipped with hydraulic tilt. The center wheels have fenders to help eliminate crop wrapping, and the four tires are size 16.650-8.



VORTEX G6V HAY TEDDER

This 6-rotor model VORTEX tedder is designed for larger operations. The machine has hydraulic fold and tilt, and the center twin tandem axles have larger 18.850-8 tires for both field and transport capacity. The wings are equipped with 4 16.650-8 tires with wheel fenders. The machine also has a slip-clutch-protected PTO shaft and a reinforced 5-section frame.



EASY RAKE

Easy Rake is suitable for all sizes of operations with sizes ranging from 10 to 20 wheels. Crop capacity is enhanced due to the machine raking wheels being mounted in front of the wing frames and the high-clearance rear frame. The rake wheels are a larger 60-inch diameter and are individually mounted on their own spring-suspended arm. The windrow width adjustment is mechanical but simple, and single-side raking is possible with the removal of one pin.



BATRAKE

BATRAKE has been designed to be a robust and high-performance rake and is available in 8-, 10-, and 12-wheel sizes. Each 60"-diameter rake wheel is individually mounted on an arm for independent movement, enabling it to follow the field surface. The EASYJOB® system with single-acting cylinders for opening and closing the machine allows the operator to handle all working operations directly from the tractor's cab. The heavy-built frame and high profile of the BATRAKE give a full 34" of ground clearance, allowing it to rake in heavy hay conditions.



RT7-9 WHEEL RAKE

This versatile 7- or 9-wheel inline rake has three ground wheels for stability and effective following of the field contour. The working width is easily adjusted, and the raking wheels are lifted hydraulically. The rake can be changed from raking to transport position directly from the tractor's seat.



RP WHEEL RAKE

The RP Series is an affordable and efficient hay rake suitable for any type of forage. The spring system of the hitch provides floatation for the rake, adapting to any type of ground condition with the correct pressure and not affecting forage quality. The independent and interchangeable raking wheels are mounted on tapered roller bearings. The rake wheel teeth are made of flexible, wear-resistant steel.



WHEEL RAKES



M 12 - M 14 MAXIMUS RAKE

Features:

The new Maximus Rake M 12-M 14 has been designed to match customer's high standards. It is available in two sizes: 12 and 14 rake wheels. Both versions feature independent rake wheel arms using a unique double rod spring system to maintain constant pressure of rake wheels to the ground. Hydraulic opening/closing system. The heavy duty frame and wide space between the wheels and tires allow operators to use this machine in heavy conditions. The hydraulic working width device allows the operator to control the rake directly from the tractor cabin.

Options:

Kicker wheel kit, wind guards, conversion kit to make 12 into 14, road light kit.

BALE WRAPPERS



BW100 3PT SATELLITE BALE WRAPPER

Features:

The BW100 is a new mounted satellite bale wrapper. Unique to this version is the self-loading device, making the wrapper able to pick-up, transport and wrap on the move. This make it possible to pick-up the bale in the wrap and transport it to the storage site while wrapping. Two guide rollers pick-up the bale for wrapping. Satellite pre-stretcher ensures fast and accurate wrapping of the bale. The BW100 is mounted very close to the tractor for good weight distribution and stability during work. BW100 is equipped with turn bale vertical system for fast collection of the bales from the field. On request with brake.

Specifications:

- Machine Length: 7.6 feet
- Machine Width: 4.6 feet
- Max Bale Size: 3.93 feet x 4.92 feet
- Max Bale Weight: 2204 lbs
- Film Width: 20/30 inches
- Weight: 1,554 lbs

TI-6000 ROTARY RAKE

Fransgård combi rakes offer a number of options. These machines rake into the center (onto dry ground); the smaller TI-models can also ted. The TI-6000 version can rake to the side and can make two swaths in one run. The rakes treat the material gently and produce a light, fluffy swath to the width you require.



TI-6000FL ROTARY RAKE

The front-mounted rake is designed for mounting on a front loader or front linkage of a tractor. The rake drive and the adjustment of the working width are operated by hydraulics. The rake treats the material gently and produces a light, fluffy swath to the desired width. The front mounted rake in combination with a following baler or loader wagon, offers huge savings in time, fuel, and operating costs while offering a comfortable working position to the operator.



BALE HANDLING



BALE SLICER

Cut the time it takes to feed high-quality silage with the HLA Bale Knife. With the increasing demand for high-nutrient silage, wrapped bales have found their place in many farm yards. Feeding silage bales requires removal of both the plastic film and net wrap. Removing these coverings can cause bales to fall apart and make for clumsy handling of nutrient-rich feed. Designed specifically for feeding round bales, the HLA Bale Knife rolls a lot of functionality into a single unit, saving time and effort.

To prevent the wrap and netting from falling into the feeder or mixer, the proprietary system grabs the wrap and bale netting, holding it securely as the bale is sliced with the powerful serrated blade and drops free. The grabber is automatically engaged when the knife is activated through a single hydraulic auxiliary, ensuring you have a tight grip before you finish slicing. The upward slicing design allows for bales to be sliced not only into feeders and mixers, but also a mere 6 inches above the ground, making it ideal for operation in tight areas with little overhead space.

The integrated Kvernland tines allow you to spear or scoop the bale and hold it in place with the knife to safely move it across the yard, making the HLA Bale Knife an all-in-one solution for bale handling.



HAY EQUIPMENT



SPEAR ATTACHMENTS

Available in four types:



3 Point Spears

- Single
- Double



Bucket Spears

- Single
- Double



Front Loader Spears

- Single
- Double
- Triple
- Quad



Skid Steer Spears

- Single
- Double
- Triple
- Quad

BLADES/GRAPPLE BUCKETS

Available in four types:



Manure Fork with Grapple

- Skid Steer
- Front Loader



Bucket with Grapple

- Skid Steer
- Front Loader



Silage Grapple

- Skid Steer
- Front Loader



Silage Blades

- Skid Steer
- Front Loader

BALE SQUEEZERS/GRABBERS

Available in two types:



Square and Round Bale Squeezer

- Skid Steer
- Front Loader



Square Bale Squeeze

- Skid Steer
- Front Loader

691 ROUND BALE HANDLER

Simplicity, versatility, and strength are the main features of the McHale 691 Bale Handler. When transporting wrapped bales, two adjustable rollers powered by a double-acting ram close to cradle the bale, carrying it securely and safely. With its rugged high-quality construction and large lifting capacity, the McHale 691 Bale Handler is the logical choice for you.



R5 ROUND BALE HANDLER

The McHale R5 is ideal for transporting bales that have been tipped on their ends in the field. It can also be used to collect bales after wrapping and rotate them through 90 degrees and stack them on their ends so that they hold their shape better.



994 BALE SPLITTER

Combining simplicity and strength, the McHale Bale Splitter cuts bales of silage, hay, or straw quickly, neatly, and efficiently. Powered by one double-acting hydraulic cylinder, the uniquely designed knife cuts cleanly through the center of the bale. The bale splitter can be used to transport, cut, and move the split bale in the feeding area.



BALE WRAPPERS

McHale

991 ROUND BALE WRAPPER

The McHale 991 Range sets the pace for efficient and effective round bale wrapping. Practical design, quality components, and precision engineering make the 991 Range the first choice for contractors and farmers who want a high quality and consistent performance in all types of conditions and terrain. Packed with practical and reliable features, the 991 Range is designed with the efficient operator in mind. Look for the hydraulically operated cut and tie system, the efficient dispenser (which maximizes film usage), and the 991's patented ground-supported damper system.



991 HIGH SPEED BALE WRAPPER

For the 2010 season, McHale the bale wrapper specialists introduced a new model, the 991 High Speed, a bale wrapper, which can deliver 50% more output.

The McHale 991 high speed bale wrapper sets the pace for efficient and effective round bale wrapping. The 991 high speed bale wrapper features practical design, quality components and precision engineering making the McHale bale wrapping range the first choice for contractors and farmers.



995 SQUARE BALE WRAPPER

The McHale 995 Trailed Single Dispenser Fully Automatic Remote Control Square bale wrapper range is the practical and versatile solution for wrapping large square and round bales. On the 995 TSR square bale wrapper the rotating rollers ensure an even rotation of the bale and the efficient application of the film. Versatile too, with a simple adjustment the 995 TSR square bale wrapper will equally and efficiently wrap large round bales.



998 HIGH OUTPUT SQUARE BALE WRAPPER

The 998 square bale wrapper is packed with features including conveyor loading and fast positioning of the square bale into the bale wrapping position, hydraulically operated cut and tie system, auto square bale levelling and a two point linkage mounted swivel head-stock. The 998 wraps all sizes of square bale from 31.5 inch x 27.5 inch to 63 inch x 47 inch including double square bales. This piece of equipment can also wrap round bales.

The in-cab control unit enables the operator to change square bale sizes and select the desired number of film layers to be applied by the square bale wrapper. When set, one touch of the auto start button operates the complete cycle from start to finish.



ORBITAL HIGH SPEED ROUND BALE WRAPPER

A high-speed solution that delivers consistent and even overlap and achieves optimum levels of fodder preservation and quality.

The McHale Orbital Bale Wrapper is a high-speed round bale wrapper. The McHale Orbital harnesses the proven vertical wrapping ring technology used in the McHale Fusion to deliver a high-output, low-maintenance bale wrapper that is capable of keeping up with multiple balers.



VARIABLE CHAMBER

V8 ROUND BALER RANGE

The new McHale V8 variable chamber baler range is fitted with heavy-duty components ensuring long life, high levels of reliability and a machine that is rugged enough to handle the toughest of crops and ground conditions. The new V8940 and V8950 have brought baling to a new level with higher density, increased bale size, better intake and easier maintenance. All V8 balers feature a new pick-up with a five-tine bar cam track pick-up or six-tine bar cam-less pick-up option with double crop roller to choose from.

V8940 – Non-Chopper Baler

V8950 – Chopper Baler

V6 ROUND BALER RANGE

Over the last decade the McHale range of balers have been operating in over 6 continents in some of the world's most difficult conditions. McHale balers have developed a reputation for providing high output, excellent reliability, operator comfort and top resale value.

Offering innovative ideas to allow you to work smarter, whilst achieving more output, the McHale name has become synonymous with the production of robust and reliable machines, making McHale the number one choice for professional users. McHale make a high output baler to suit everyone's needs. Whether it is a nonchopper V6740 baler, a 15 knife chopper V6750 baler or a Fusion Vario integrated baler wrapper, there is a host of options to choose from to suit your individual needs.

All the balers in the variable chamber baler range make bales from 2 feet —5 foot 6 inches. The McHale variable chamber baler range consists of these models;

V6740 – Non-Chopper Baler

V6750 – Chopper Baler

Fusion Vario – Integrated Baler Wrapper



V6740 NON-CHOPPER BALER



V6750 SEMI-AUTOMATIC 15 KNIFE CHOPPER BALER

FIXED CHAMBER

F5500 - 15 KNIFE CHOPPER BALER

McHale F5500 Heavy Duty Fixed Chamber Round Baler with a 15 Knife Chopper Unit and Drop Floor Unblocking System

As with all McHale machines the McHale F5500 fixed chamber round baler has been designed with the demands of today's farmer and contractors in mind. This common sense approach to design ensures that machine operation is kept simple and user friendly.

Features like progressive greasing and oiling and drop floor unblocking system, when combined with high specification components ensure long life, reliability and a machine that is rugged enough to handle the toughest of crop and ground conditions.

F5600 - 25 KNIFE CHOPPER BALER

At the higher end of the McHale F5000 Fixed Chamber Round Baler Range is the McHale F5600 fully automatic round baler, this is the highest specification round baler in the McHale F5000 round baler range.

The McHale F5600 is fitted with a servo operated load sensing control valve and an expert plus control console, which makes the round baling process fully automatic.

Once the round bale is formed, net is automatically applied; the tailgate then automatically opens releasing the high density round bale, the tailgate on the F5600 baler then automatically closes and pressurizes.



INTEGRATED BALER/WRAPPERS

McHale

FUSION 3

The McHale Fusion 3 Integrated Baler Wrapper is a robust machine, which is simply not a wrapper coupled onto a baler; it has been specifically designed as a high output Integrated Baler Wrapper. The Fusion 3 Integrated Baler Wrapper is also unique in that it has a patented bale transfer. This results in keeping the Fusion 3 short and improving the machine's performance and output over a days work. Producing 50-60 wrapped bales an hour the single pass patented McHale bale transfer, increases productivity and reduces operation costs, while increasing profits.



FUSION 3 PLUS

The McHale Fusion 3 Plus integrated baler wrapper consists of an 18-roller fixed chamber baler and an integrated vertical wrapping ring. The McHale Fusion 3 Plus integrated baler wrapper uses film-on-film technology to apply film to the barrel of the bale in the bale chamber. The McHale Fusion 3 Plus is a fully automatic machine that is controlled by the McHale iTouch Control Unit and also has a built-in camera to monitor wrapper operation.



FUSION VARIO

The McHale Fusion Vario is a fully integrated baler wrapper, which consists of a high-output variable chamber baler with an integrated wrapping ring.

It can wrap the following bale types: hay/straw and haylage/silage. The McHale Fusion Vario has the ability to make bales of hay and straw from 0.6 metres up to 1.68 metres or from 2 feet up to 5 feet 6 inches, and can produce bales of haylage or silage from 1.1 metres up to 1.45 metres or 3 feet 3 inches up to 4 feet 8 inches.



COMBINATION MOWERS

MCHALE PRO GLIDE B9000 COMBINATION MOWER



At Agritechnica 2015 in Hannover, Germany, McHale launched the McHale Pro Glide Mower Range to the world market. McHale exhibited three new products from this range: the McHale Pro Glide F3100 Front Mower, the R3100 Rear Mower and the B9000 Combination Mower. All Mowers are fitted with 3-meter cutter bars with tine conditioners and benefit from a number of novel features that result in better ground-following ability and faster reaction times to changes in ground conditions.

To achieve the maximum performance and results from a front and a rear or combination mower, the cutter bar and mower suspension works together to deliver uncontaminated forage.

McHale has developed unique patented ground adaption technology which delivers 3-dimensional ground contour tracking for their Pro Glide range of rear and combination mowers, which allows an arc of movement from left to right and forward and back movement adjusting to changes in the contours of the ground.

McHale offers farmers and contractors a single rear mower, the Pro Glide R3100, with a cutting width of 3.1 metres and a combination mower, the Pro Glide B9000, which has a cutting width of 6 metres. Both these mowers possess a number of common features, which are highlighted below.

The McHale Pro Glide R3100 and B9000 mowers comes standard with unique patented ground following technology, hydraulic ground pressure control and heavy duty bed design which make the Pro Glide a smart choice for farmers and contractors alike.

MCHALE R 62-72 CENTER DELIVERY RAKE



Building on their comprehensive range of grass machinery, McHale now introduces their R 62-72 center delivery rake.

McHale rakes have been tested in the world's most difficult conditions in order to deliver a strong and robust machine that is efficient and reliable in all terrain. The McHale R 62-72 rake is an ideal machine for those who want to get the best quality fodder by delivering an aerated swath. The R 62-72 delivers an ideal swath for maximum baling and harvesting output.

BALE WRAPPERS



METAL-FACH

Z560 BALE WRAPPER

The bale wrappers are intended for wrapping individual bales of semi-dry grass and legume hay used in the process of ensilaging.

The Z560 bale wrapper is a stationary machine. The machine can be coupled with a tractor by the three-point hitch. The motive power is generated by the hydraulic motor-fed directly by the tractor accessory pump. The machine features the universal 500 and 750 mm film roll feeder. This bale wrapper meets the needs of the most demanding users. Its design is a result of years of design and production work of Metal-Fach engineers. Hence, the products boast the highest manufacturing quality with excellent attention to finish and details as well as extreme reliability.

The Z560 can be optionally equipped with a reliable bale positioning device, an accessory that greatly facilitates daily work in the field. The machine comes complete with a practical bale wrap counting controller for the operator to monitor the work progress. The knurled aluminium rollers in the film feeder warrant reliable and top-quality performance.



Z577 BALE WRAPPER

The Z577 self-loading bale wrapper features a side-loading grip for quick and effective work. The pickup and wrapping of bales is made in transit to the next bale or the bale dump. Not only is the solution handy, but it also saves a lot of time. The machine comes with a film pickup and cutting device that requires the operator's intervention only to replace the film roll.

When the wrapping process is finished, the bale can be placed on a special base using the reliable bale positioning device, which reduces the risk of wrapping film damage.

The bale wrapper is equipped with the advanced universal 500- and 750-mm-wide film feeder. The adjustable loading arm and the grip drum spacing help wrap 1200 x 1200 and 1200 x 1500 mm sized bales.

The wrapper features a road wheel axle turning system to facilitate transport of the machine. The system also improves stability in operation. The machine features four rotary shafts that prevent the bales from slipping when being wrapped.

The direct-drive transmission to a special slewing ring of the rotary table ensures silent operation of the machine and greater reliability when compared to chain transmission systems.

The machine is controlled from the tractor cab with the control levers of the three-section hydraulic system equipped with Bowden cables.

The bale wrapper comes with a programmable counting controller, which displays the current bale wrap count, the operating time, the number of processed bales, and the average number of bales wrapped per hour. The controller can process data separately for three farming fields.



BALE HANDLING



CONVERTIBLE BALE HANDLER

This multifunctional bale grip is intended for picking, handling and loading of bales onto trailers. The versatile design allows bale handling by gripping or piercing with forks, as well as easy loading and unloading of silage bales. The installed guards facilitate loading of wrapped bales without piercing or ripping the film. The grip can easily pick and hold up to three bales of hay or silage. The fork guards are easy to remove. The grip can grab horizontal or vertical bales. Gripping width: minimum 24 inches, maximum 70 inches.



DOZER BLADES

DOZER BLADES FOR 4-WHEEL DRIVE TRACTORS

Take control of your material handling and increase the productivity of your 4-wheel-drive tractor with the Pitbull dozer blade. Designed to move the most material in every pass, the Pitbull blade offers the operator the ultimate maneuverability with available 8-way blade control. For ease of use and to increase functionality, Pitbull features easy hydraulics connection, ratchet-style adjustable skid shoes, and a convenient support leg that folds up while the blade is in use. Pitbull blades for 4-wheel-drive tractors are available in models designed for 300–600HP category and 400–600HP category tractors.



DOZER BLADES FOR FRONT WHEEL ASSIST TRACTORS

Continuing to provide farmers across North America with the ultimate material handling dozer blade, Pitbull now offers blades designed for front-wheel-assist tractors. These new models offer class-leading maneuverability with Pitbull's 8-way blade control, including forward pitch and parallel lift. The slim design of Pitbull's hitchless undermount bracket means no bulky lift assembly and provides optimal ground clearance, allowing full use of your tractor when the blade is detached. Pitbull blades for front wheel assist tractors are available in models designed for 150–400HP category tractors.



SILAGE RAKE

SILAGE RAKE

Like a dozer blade the Pitbull Rake can push and pile material into the bunker due to its large push plate. With the addition of solid tines across the bottom and bale spears on each side, the rake also functions like a bucket, able to carry high capacities of material up the bunker. This makes it ideal for filling low spots or piling material along the bunkers edge.



TOMAHAWK 8500 CHIEF

The Tomahawk 8500 is the professionals' choice with a wider body for greater capacity and easier loading of 5'-wide bales. Industrial-grade durability is provided by a wear-resistant steel plate in the fan housing. Suitable for corn stalks.



TOMAHAWK 1010

With massive capacity and output, the 1010 holds up to 4 rectangular or round bales. Includes wear-resistant steel plate in the fan housing - suitable for corn stalks. Track your input costs with the weigh cell option.

TOMAHAWK C12 CALIBRATOR

A high-capacity mill for processing dry materials such as straw and miscanthus to a consistently short length for bedding, feeding, and biofuel applications. Calibrate material length from 20mm - 100mm. Designed for contractors and large-scale operators. Process up to 25 quadrant bales per hour (subject to straw quality) to a consistently short length.



TOMAHAWK 4040-5050

Comfortable livestock are more productive. Provide an even and absorbent bed of straw. Increase consumption and reduce waste of baled silage. Baled silage that is lightly shredded with a Tomahawk is more palatable and easily consumed.

TELEHAWK

Why use a Telehawk for Bedding?

- Labour Saving - one person can quickly and easily bed down livestock.
- Designed for use with telehandlers - convenient loading and spreading.
 - Save Straw, users regularly report up to 30% savings.
- Livestock are cleaner and healthier - straw is lightly bruised for improved moisture absorbance whilst retaining structure in the bedded area.



BALE PROCESSORS & HANDLING



BALE BOSS 1

The Boss 1 is a square bale processor that mounts on your skidsteer or tractor loader, combining adaptability with accessibility. Now you can feed and bed in the tight spots that are nearly impossible to get to with a trail-behind processor. From feeding to bedding, this hydraulically driven processor is ready to take charge.



ACCELERATOR

The Accelerator's easy operation conditions hay by simply running it through adjustable steel crimping rollers, up to 15 mph. This process cracks the hay stems without knocking off the leaves. Conditioning also fluffs the hay, allowing air to flow through the swath for faster and more even drying from top to bottom. Speed up your operation with the Tubeline Accelerator, producing better hay, faster drying time, and bigger profits.



ACCUMUL8

The Tubeline Accumul8 now gives producers time savings for one of farming's biggest jobs. The Accumul8 is your solution for handling bales efficiently - saving you time and man power. You can now handle eight, ten, or twelve bales at one time. This allows one person to quickly gather and load wagons or highway trailers. Keep your farm operating efficiently with the addition of the Tubeline Accumul8. The Accumul8's mechanical design requires no external hydraulics, PTO or electrical connections. Each bale triggers a series of switches, guiding the next bale into proper location and then releasing the entire pack when full.



BF5000SL

Handling bales is safe and easy with the built-in hydraulic bale loader. This safe loading system allows you to easily load the first bale onto the feeder tray, then spear a second for more feeding with fewer trips and less maneuvering. The Tubeline Chainless Bale Feeder works as well in the field as it does in the barn, allowing you more freedom to decide when and where to feed your livestock while saving you time.



TECHNOBALE 980 MOVER

Tubeline introduces one of the safest, fastest, and easiest ways to move round bales from the field, all with less compaction. Farmers indicated the need for a wagon that could handle both dry and wet bales. The TechnoBale has been designed so that it can handle bales weighing up to 2000 pounds safely and efficiently. The Techno-Bale models are the result of a process of constant improvements that has resulted in efficient, reliable and durable round bale handling equipment. TechnoBale 980 carries eight 5 foot or ten 4 foot bales on the bed and one additional bale on the loader arm.



BALE WRAPPERS



TL1700SR

The TL1700SR individual square and round bale wrapper features: trailer model, wraps 3 foot x 3 foot square bales from 4 feet to 7 feet long, wraps 4 foot x 4 foot and 5 foot x 5 foot 6 inch round bales, twin wrap kit (offset) uses two rolls of 30 inch film, wrap counter, requires 30 HP, hydraulically powered, wrap cutter.



TL1000R

The TL1000R is a valuable addition to any hay producer's arsenal. Easy to maintain and even easier to use, the TL1000R uses tractor hydraulics to spin and rotate the bale, ensuring it's completely wrapped every time. To keep 4 foot and 5 foot bales centered, the TL1000R is equipped with adjustable bale guides. It also features a wrap counter to ensure you get the right amount of wraps on each bale.



TL50

The TL50 has 100% more shielding over its predecessors, increasing safety while providing a sleek modern look and a re-engineered door. A longer chassis increases the wrapping chamber, allowing the addition of Tubeline's optional Offset Twin Wrap Kit, which provides operators with up to 4 inches of adjustable offset to dial in your desired overlap. The TL50 is available in 3 trim levels featuring many popular options for the producer or the custom farmer. The TL50 is available in both LSV and ECV models



TL60

Built with purpose, the TL60 easily switches from round to square bales with a few quick adjustments. A cam axle system rotates, raising and lowering the bed. Equipped with a fixed tail, the angle between the wrapping chamber and the tail rollers doesn't change, preventing overstretch of plastic at the bottom of bales as they transition. With the cam axle rotated, the deck can be positioned parallel to the ground providing a level platform to start bale tubes. The TL60 is available in 3 trim levels featuring many popular options for the producer or the custom farmer. The TL60 is available in both LSV and ECV models.



TL70

The new generation of TL Series inline bale wrappers from Tube-Line are built to provide producers and custom operators with high efficiency and proven reliability. To ensure that everyone can reap the benefits of the high moisture hay, Tube-Line BaleWrappers are available in multiple configurations to suit your needs and your budget. The TL70 is available in both LSV and ECV models



TLR5000

The Tube-Line Bale Wrapper TLR 5000 automatic focuses on round bales and operators' needs. This round bale wrapper has been refined resulting in a lighter, more maneuverable machine. These standard features give you more control and easier operation. Operating controls are positioned above the engine for ease of use and "heads up" usability. Included guide rollers ensure performance even on uneven ground. Standard traction implement tires give the TLR 5000 sure-footed, long-life performance. The TLR 5000 is available in both ECV and AX2 models.



ECV SERIES

ECV Series BaleWrappers combine our reliable electric over hydraulic controls with an easy to use digital console which provides the brains behind our precision wrapping.


The digital control panel allows you to select functions, and configure settings at the touch of a button.

The multi-function joystick provides centralized control over steering and our optional power drive.

Large rocker switches are provided for primary features like Power, Emergency Stop, and optional features like Remote Engine Start and Night Lights.




ECV CONTROL CONSOLE



Easy to read home screen provides machine status at a glance



Easily change bale settings with a few quick selections



Easy to understand fault indicators.

BASKET RAKES



TWINSTAR 7 BAR BASKET RAKES

Twinstar Generation 2 Basket Rakes are premier hay rakes designed for commercial farming operations. These rugged-built hay rakes are designed to rake two windrows together and to turn hay to speed up drying time prior to baling for high-production hay farming, custom operators, and dairies raking green chop. Twinstar Basket Rakes produce consistent, uniform windrows and the cleanest hay on the market. Cleaner hay brings higher returns and provides the highest quality feed to ensure animals receive proper nutrients. Research has documented that basket-raked hay contains significantly fewer



contaminants (dirt, rocks, and debris) and has less leaf loss compared to traditional finger-wheel and rotary rakes. Twinstar Generation 2 Hay Rakes are designed for functionality and longevity in today's demanding markets. Twinstar Rakes are available in 24 foot, 27 foot, and 30 foot approximate raking widths for windrowers equipped with 12 foot to 18 foot headers.

LONESTAR SINGLE BASKET RAKE

Lonestar Single Basket Rakes are premier hay rakes designed for operations looking to produce consistent uniform windrows and the cleanest hay on the market. Cleaner hay brings higher returns and provides the highest quality feed to ensure animals receive proper nutrients. Research has documented that basket-raked hay contains significantly fewer contaminants (dirt, rocks, and debris) and has less leaf loss compared to traditional finger-wheel and rotary rakes. Lonestar Hay Rakes are



designed for functionality and longevity in today's demanding markets. Hydraulically driven rubber-mounted tines allow the operator to match the basket and ground speed to the crop conditions to produce consistent windrows that dry faster and are ready for baling sooner. Offset wheels follow ground contours, and baskets can be hydraulically raised if needed to avoid obstacles. Lonestar Rakes are part of the Twinstar Basket Rake family, designed for demanding conditions and for operators who expect reliability and longevity.



BALE HANDLING

BALE SPEARS

Available in four types:



3 Point Spears (DBH 6000)

- Single
- Double
- Triple
- Quad



Bucket Spears (CBSF 3028)

- Single
- Double
- Triple



Front Loader Spears

- Pin on
- Global/Euro Style
- Custom Mount
- Integrated Frame for JD



Skid Steer Spears (SSB 3000)

- Single
- Double
- Triple

BALE SQUEEZERS/GRABBERS

Available in five types:



Square Bale Squeezer (SSLBS 48)

- 1 Hydraulic Arm
- Skid Steer & Front Loader



Square Bale Squeezer (SSLBS 48D)

- 2 Hydraulic Arms
- Skid Steer & Front Loader



Round Bale Squeezer (UBH 2072)

- Skid Steer & Front Loader



Rotating Round Bale Squeezer (UBH 2072R)

- 2 Hydraulic Arms
- Skid Steer & Front Loader



Stacked Square Bale Handler (RBH 4000)

- Front Loader



Rectangular Bale Handler (RBH 4500)

- Front Loader



Rotating Bale Hande

- Front Loader
- Euro/Global Mount

BALE UNROLLERS

Available in two types:



Bale Unroller (HHU 2045)

- 3 Point Hitch



Spin Off - 3 Point (FSO 906)

- Skid Steer



DISTRIBUTING CO., INC.

888.443.3639 • WWW.EDNEYCO.COM • @EDNEYCO

1895 Highway 14 East
Huron, SD 57350

8485 215th Street West
Lakeville, MN 55044

1230 43rd Street NW
Fargo, ND 58102

2571 West Wisconsin
Portage, WI 53901



EquipmentDealers
ASSOCIATION

