

# HAY & FORAGE

## PRODUCT GUIDE



**EDNEY**  
DISTRIBUTING

*SERVING YOU SINCE 1951*

INTEGRITY | SERVICE EXCELLENCE | TEAMWORK | CONNECTION | INNOVATION

# ABOUT US

Thank you for your interest in Hay & Forage Products offered by Edney Distributing Co., Inc. We are excited to work with you to supply your customers with innovative products from respected manufacturers around the world. We look forward to providing you with exceptional customer service and support. Our team is committed to helping dealers be successful and stands ready to assist you in any way we can.

Edney Distributing has served the upper Midwest as a wholesale distributor of high-quality equipment focusing on the agricultural, lawn and turf maintenance, snow and ice management, forestry, and light industrial equipment industries. We are a thriving fourth-generation family business with supplier partnerships often lasting generations and an unmatched dedication to customer satisfaction. With more than 1000 reputable dealers in South Dakota, North Dakota, Minnesota, Wisconsin, Iowa, upper Michigan, northern Illinois, and eastern Montana, Edney Distributing has earned a reputation as a reliable and trusted partner.

Experienced Edney Distributing team members offer value-added services to dealers including product solutions and specifications, pricing, logistics advice, warranty support, product and sales training, and information on opportunities for collaborative growth. No matter where a team member is based, we offer friendly, speedy, and accurate service.


## DEALER SUPPORT CENTERS

8485 215TH ST W  
LAKEVILLE, MN 55044

1895 HWY 14 E  
HURON, SD 57350

1230 43RD ST. NW  
FARGO, ND 58102

2571 W WISCONSIN ST  
PORTAGE, WI 53901



For more information, dynamic product search, and online ordering visit [edneyco.com](http://edneyco.com) or call 1-888-443-3639

# TABLE OF CONTENTS

<b>Bale Handling</b>	Worksaver, McHale, Metal-Fach, IDEAL, Market Farm, TMW	4-7
Bale Spears, Squeezes/Grabbers, Grapples, Bale Burros		
<b>Bale Processors, Unrollers, &amp; Feeding</b>	McHale, Teagle, Work saver	8-10
Box Style, Drum Style, Telehandler Mounted, Bale Unrollers, Spin-Offs, Slicers/Splitters		
<b>Bale Wrappers</b>	McHale, Metal-Fach	11-12
Single Square, Single Round, High Speed		
<b>Balers</b>	McHale	13-14
Round Variable Chamber, Round Fixed Chamber, Integrated Baler + Wrapper		
<b>Hay Tedders</b>	Enorossi, Bauman	15-16
Tedder Rakes, Fluffers		
<b>Hay Rakes</b>	Enorossi, Repossi, McHale, Fransgard, Twinstar	17-20
Wheel Rakes & Double Wheel Rakes, Rotary Rakes, Basket Rakes		
<b>Mowers</b>	McHale, Enorossi, Fransgard, Ideal	21-22
Combination Mowers, Disc Mowers, Drum Mowers & Sickle Bar Mowers		
<b>WEBSITE, DISCLOSURES &amp; NOTES</b>		<b>23-27</b>

# BALE HANDLING



## BALE SPEARS

- Designed in a variety of mounts and sizes
- Tapered forged spring steel bolt-in spears
- Weight ratings range from 1,800 lbs. - 6,000 lbs.
- Models available for round or square bales



### 3-PT SPEARS

- Single
- Double
- Triple
- Quad

### BUCKET SPEARS

- Single
- Double
- Triple

### SKID STEER SPEARS

- Single
- Double
- Triple

### FRONT LOADER SPEARS

- Pin on
- Global/Euro Style
- Custom Mount
- Integrated Frame for JD



### 3-PT SINGLE BALE SPEAR

- Easily lifts heavy round bales
- Upper spear is heat-treated for extra strength
- Welded stabilizer bars to secure the load



### 2-BALE HYDRAULIC ADJUSTABLE BALE FORK

- Handles 2 large round bales
- Moves bales 18" from side to side
- Easily stack bales tight together on trucks
- Tapered bale fork tines
- Mounting plates for Skid Steer, Wheel, and Tractor Loaders





**691 ROUND BALE HANDLER**

- Removable rollers allow for cradling securely or piercing with spears
- Rugged construction
- Large lifting capacity



**R5 ROUND BALE GRABBER**

- Ideal for transporting round bales that have been tipped on their ends
- Can also be used to collect round bales that have been left normally by the baler and stack them on their ends.



**CONVERTIBLE BALE HANDLER**


- Intended for picking, handling, and loading of bales onto trailers
- Design allows bale handling by gripping or piercing with spears
- Easy loading and unloading of silage bales
- Gripping width: minimum 24", maximum 70"

## BALE HANDLING



### *SQUARE BALE SQUEEZER*

- Handles 4'-8' wide bales
- 2 hydraulic arms
- Skid Steer & Front Loader mounts



### *ROUND BALE SQUEEZER*

- Handles 4'-6' diameter bales
- 2 hydraulic arms
- Skid Steer & Front Loader mounts



### *ROTATING BALE SQUEEZER*

- Rotate bales up to 110°
- Handles 4'-6' diameter bales
- 2 hydraulic arms
- Skid Steer & Front Loader mounts



### *LARGE RECTANGULAR BALE CARRIAGE*

- Multiple front loader mounts available



### *OPTIONAL UPRIGHT BRACKETS*

- Available for specific models
- Allows for handling two stacked square bales



### *BALE GRAPPLE*

- Available in 72", 84" & 96"
- Ideal for grabbing large bales, brush and other debris
- Heavy duty grapple with two hydraulic cylinders
- Powder coat finish
- Bolt on grapple tips
- Cylinder guards to protect hoses
- Quick Tach mounts for skid steer, global mount and JD 600/700 Series
- Mounts for other tractors and telehandlers are available.



### *BALE BURRO*

- Move bales with a compact tractor or pickup truck
- Available with manual brake winch or hydraulic cylinder
- Heavy-duty steel frame
- 2" ball coupler
- 1000 lb. hubs & spindles
- 15" wheels with trailer tires
- 49" bale fork & 2 short stabilizer forks

# BALE PROCESSORS, UNROLLERS, & FEEDING

## Teagle



### TOMAHAWK 8500 CHIEF

- Wider body for greater capacity and easier loading
- Larger fan with a Hardox housing provides industrial grade durability.
- Suitable for corn stalks



### TOMAHAWK 1010

- Holds up to 4 rectangular or round bales
- Includes wear-resistant steel plate
- Suitable for corn stalks

## McHale

### C4 SILAGE FEEDER & STRAW BLOWER

- Twin Speed Gearbox for varying crops
- 300° - 3 stage feed chute
- Joystick chute control
- External loading controls
- Independent rotor drive with hydraulic activation



**Teagle**



*TELEHAWK -TELEHANDLER MOUNTED*

- Flexible hydraulic spreading
- Designed for round or rectangular bales
- Self-loading operation means no tractor required
- Front Mounted for Optimum Visibility



*TOMAHAWK C12 CALIBRATOR*

- High-capacity mill
- Calibrate material length from 3/4" - 4"
- Designed for contractors and large-scale operators
- Process up to 25 rectangular bales per hour



*TOMAHAWK 4040-5050 - DRUM STYLE*

- Provides an even and absorbent bed of straw
- Increase consumption and reduce waste of baled silage
- Lightly shredded silage is more palatable and easily consumed

## BALE PROCESSORS, UNROLLERS, & FEEDING



### *BALE UNROLLER*

- 3-PT Hitch
- Designed for round bales either 4' or 5' in width and up to 6' in diameter



### *3-PT BALE SPIN-OFF*

- 3-PT Hitch
- Tapered forged spear, rated at 2,200 lbs.
- Requires 8-10 gpm of hydraulic flow



### *FRONT LOADER BALE SPIN-OFF*

- Front Loader pin-on mount
- Optional interfacing brackets are available for quick attach systems
- 3" & 4" square tubing frame
- Tapered & forged spear, Rated at 2,200 lbs.

## McHale



### *994 BALE SPLITTER*

- Cuts bales of silage, hay, or straw quickly, neatly, and efficiently
- Knife cuts cleanly through the center of the bale
- Bale splitter can be used to transport, cut, and move the split bale in the feeding area

# BALE WRAPPERS

**McHale**



## 995 SQUARE BALE WRAPPER

- Fully automatic remote control square bale wrapper
- Practical and versatile for wrapping large square bales
- Rotating rollers ensure even rotation of bale and efficient application of film



## 991 ROUND BALE WRAPPER

- Designed for efficiency
- Hydraulically operated cut and tie system
- Dispenser maximizes film use
- Patented ground-supported damper system

**METAL-FACH**



## Z560 ROUND BALE WRAPPER

- Stationary machine
- Can be coupled with a tractor by the 3-PT hitch
- Features the universal 20" and 30" film roll feeder
- Comes complete with a practical bale wrap counting controller



## Z577 SELF-LOADING ROUND BALE WRAPPER

- Features the universal 20" and 30" film roll feeder
- Wraps 4' x 4' and 4' x 5' sized bales
- Controlled from the tractor cab with the control levers of the 3-section hydraulic system
- Comes with a programmable counting controller



**998 HIGH SPEED SQUARE BALE WRAPPER**

- Conveyor loading and fast positioning
- Auto square bale leveling
- Wraps all sizes of square bale from 31.5" x 27.5" to 63" x 47" including double square bales



**991 HIGH SPEED ROUND BALE WRAPPER**

- Delivers 50% more output
- Efficient and effective round bale wrapping



**ORBITAL HIGH SPEED ROUND BALE WRAPPER**

- Vertical wrapping ring technology delivers high-output, low-maintenance bales
- Patented high speed transfer system
- Patented tip roller



# BALERS

## McHale



### *V6750 - SEMI-AUTOMATIC CHOPPER BALER*

- Makes bales from 2' - 5' 6"
- 15 knife chopper unit
- Choice of single belt or triple belt bale chamber
- Heavy-duty rotor
- Double drive system operates in the toughest of conditions with 500/50-22.5 tires as standard



### *V6760 - FULLY AUTOMATIC CHOPPER BALER*

- Makes bales from 2' - 5' 6"
- 15 knife chopper unit
- Triple belt bale chamber
- Heavy-duty rotor
- Double drive system operates in the toughest of conditions with 500/50-22.5 tires as standard
- Operators can focus on driving & let the baler do the rest



### *V8950 - SEMI-AUTOMATIC CHOPPER BALER*

- Makes bales from 2' - 6' 3"
- 15 knife chopper unit
- Heavy-duty rotor
- Double drive system operates in the toughest of conditions with 500/50-22.5 tires as standard



### *V8960 - FULLY AUTOMATIC CHOPPER BALER*

- Makes bales from 2' - 6' 3"
- 15 knife chopper unit
- Heavy-duty rotor
- Double drive system operates in the toughest of conditions with 500/50-22.5 tires as standard
- Operators can focus on driving & let the baler do the rest

## McHale



### *FUSION 4*

- Equipped with a 25-knife chopping unit
- Features an automatic progressive greasing system
- Utilizes a servo operated load sensing control valve
- Includes the patented bale transfer system and vertical wrapping ring
- Produces 50-60 wrapped bales an hour in a single pass



### *FUSION 4 PLUS*

- Includes all the features of the Fusion 4, plus:
- New levels of operator comfort with an easy-to-use ISOBUS control system.
- Higher customization and performance
- In-cab net & density adjustment, camera, and faster wrapping speeds
- Fitted with an infinite stretch hydraulic binding system



### *FUSION VARIO PLUS*

- High-output variable chamber baler
- Integrated wrapping ring
- Can wrap hay/straw and haylage/silage
- Make bales from 2' up to 5' 6"
- Produce bales of haylage or silage from 3' 3" up to 4' 8"

# HAY TEDDERS



## *HAY TOP 300 - 2 ROTOR TEDDER RAKE*

- Tedder and rake combination with adjustable tines
- Designed for small and medium farms
- Tines float through the stubble to move the crop
- Windrow width can be adjusted using the 2 adjustable deflectors



## *VORTEX G2V HAY TEDDER*

- Ideal for situations requiring a smaller machine
- Pull-type version has 15.6-6 tires and comes standard with a slip-clutch-protected PTO shaft
- Working angle of the rotors can be adjusted with a hand crank



## *VORTEX G4V/G4V-EL HAY TEDDER*

- Available in 17' and 19' sizes - both equipped with hydraulic tilt
- 4-rotor tedder hydraulically folds
- Ideal for medium sized farms
- Four tires are size 16.650-8



**VORTEX G6V HAY TEDDER**

- 6-rotor model
- Designed for larger operations
- Hydraulic fold and tilt
- Wings are equipped with 4 16.650-8 tires with wheel fenders
- Slip-clutch-protected PTO shaft and a reinforced 5-section frame



**5710 & 5910 FLUFFER TEDDERS**

- Heavy-duty five bat reel design
- Tedding widths of 7' or 9'
- PTO drive standard / hydraulic drive optional
- Nylon cam rollers
- Turnbuckle depth adjustment allows for varying drawbar heights
- Easy tine angle adjustment options
- Fully assembled
- Standard Jack Stand

# HAY RAKES



## 7 BAR BASKET RAKES

- Available in 24', 27', and 30' approximate raking widths for windrowers equipped with 12' to 18' headers
- Designed for commercial farming
- Rakes two windrows together and turns hay to speed up drying time
- Produces clean hay with low ash content resulting in quality feed



## RR 320 ROTARY RAKE

- Oil bath gearbox
- Slip-clutch-protected PTO shaft
- Pneumatic pivoting wheels
- Articulated frame with shock absorber and 16.650-8 tires



## RR 420 EVO ROTARY RAKE

- Oil bath gearbox
- Slip-clutch-protected PTO shaft
- Tandem double wheel
- HIGHSPACE system can lift rotors to allow for travel over the windrows
- Articulated frame with shock absorber and 16.650-8 tires



*DR420 ROTARY TEDDER RAKE*

- Ideal for medium and large farms
- Create either central- or side-delivered windrows
- Can perform many different tedding functions
- Equipped with driveline protection and twin wheels
- Working speed of almost 10.5 mph, subject to field conditions



*ENODUO 780*

- Central windrow delivery
- Oil bath rotor transmission
- Mechanical height control
- Overlapping rotor arms
- Hydraulic width adjustment
- Semi-mounted (2-PT) hitch
- Transmission with cardan shafts

## Fransgård



*TI-6000 ROTARY RAKE*

- Rake into the center (onto dry ground)
- Smaller TI-models can also ted
- Rakes treat the material gently and produce a light, fluffy swath to the width required



*TI-6000FL ROTARY RAKE*

- Designed for mounting on a front loader or front linkage of a tractor
- Rake treats the material gently
- Produces a light, fluffy swath to the desired width

# McHale



### *R 68-78 CENTER DELIVERY RAKE*

- Adjustable working width 22'4" - 25'7"
- Semi-mounted (2-PT) hitch
- Both rotors operate at equal ground pressure across the rake width.
- Delivers an aerated swath ideal for maximum baling and harvesting output



### *MAXIMUS RAKE*

- Available in 12, 14, and 16-wheel sizes
- Features independent rake wheel arms using a unique double rod spring system
- Hydraulic opening/closing system
- Heavy duty frame



### *EASY RAKE*

- Available in 10, 12, and 14-wheel sizes
- Mechanically driven raking wheels are mounted in front of the wing frames
- Rake wheels are a larger 60" diameter



### *BATRAKE*

- Available in 8, 10, and 12-wheel sizes
- Heavy-built frame and high profile of the rake provides 34" of ground clearance
- Rake in heavy hay conditions



**RT WHEEL RAKE**

- Versatile 7, 9, and 13-wheel inline rake has three ground wheels for stability
- Working width is easily adjusted
- Raking wheels are lifted hydraulically



**RP WHEEL RAKE**

- Available in 2-5 wheel sizes
- Suitable for any type of forage
- Spring hitch system provides floatation for the rake
- Rake adapts to any type of ground condition



**DOUBLE WHEEL RA-RAKE**

- Pull Type Central Delivery V-Rake - 12-16 Pairs of Star Wheels
- Double row of star wheels on each side
- Combines the speed and simplicity of a wheel rake with forage quality higher than a rotary rake
- Larger diameter rear star wheels kick hay toward the center of the vee and to the front wheels
- Smaller diameter front wheels perform a sifting action to leave the ash behind.



# MOWERS

## McHale



### *PRO GLIDE B6000 COMBINATION MOWER*

- 3D Ground Contour Tracking: Left and Right up to 17° / Forward and Back 12°
- Unique Cutter Bar protection allows it to move back and up if an obstacle is encountered.
- Patented Constant Ground Pressure can be isolated from the tractor hydraulics once set.



## enorossi

AGRICULTURAL MACHINERY

### *DM DISC MOWER*

- Working widths from 7.8'-10.5'
- Available in 2-blade and 3-blade cutter bars
- Equipped with hydraulic lift
- Automatic safety release helps protect the cutter bar from damage.
- PTO shaft with over-running clutch
- Heavyweight protection cover

# Fransgård



## *3-POINT MOUNTED DISC MOWER*

- Working widths from 6.7'-10.5'
- Available with 2-blade cutter bars for 2.75" cutting height
- Equipped with hydraulic lift for transport
- Large load spring ensures it follows the terrain
- Corner cutter bar runs in a sealed oil bath
- Heavy Duty protection cover creates vacuum for clean cutting
- Spring Loaded Hitch Breakaway System
- Swath Deflectors for inside & right side of cutterbar



## *MEDIUM DUTY DISC MOWER*

- Available in 7', 8' & 9' widths
- Mows through tough, thick crops with a series of discs
- Each oval-shaped disc with two knives gives you maximum overlap
- Blades are easy to remove and replace.
- The mower's design allows the cutter bar to ride evenly over rough terrain.



# EDNEY DISTRIBUTING WEBSITE

## E-COMMERCE FUNCTIONS FOR DEALERS:

- Online ordering
- Order tracking
- Access purchase history
- View invoices and statements
- Create order templates
- SuperUser feature as admin
  - Create users for your dealership location
  - Assign permissions
  - Assign levels of access to your team



The screenshot shows the Edney Distributing website homepage. At the top is the Edney Distributing logo and a search bar. Below the logo are navigation links: Products, Manufacturers, Dealer Resources, Support, My Account, and Subscribe. On the right, there are icons for My Cart (showing \$0.00) and Find a Dealer. A user profile icon shows (1097) | Logout. The main content area features a 'Featured Products' section with four product cards: MCHALE V6750 Single Belt Variable Chamber Round Baler with 1,000 RPM Gearbox; TWINSTAR 30' Twinstar G3 Series 7-Bar Basket Rake; ENOROSI RT 9 18' Inline Rake with 55" Diameter Rake Wheels; and TEAGLE Tomahawk 8500SC with Options. Below the featured products is an 'About Us' section with the headline 'Serving You Since 1951' and a paragraph describing the dealer network. To the right of the text is a large image of the Edney Distributing building.

## DISCLOSURES

---

### *SHIPPING TERMS OF SALE*

Unless otherwise specified, prices are published as “Free on Board (F.O.B.) Factory.” This means that the buyer takes title at the time the items are acknowledged by the freight company, pays transportation costs from factory to dealership, and files claims (if any). Applicable back freight will be an additional cost, you can find the back freight rates on our website, in the Dealer Resources section. Prices specified “F.O.B. Warehouse” are not subject to back freight charges. Please note that prices and discounts are subject to change with or without notice.

### *MINIMUM ORDERS*

Minimum billing for an order is \$10.00 (ten dollars). Orders that total less than \$20.00 (twenty dollars) are not eligible for any type of dealer discounts.

### *TERMS*

Generally, our terms are classified as straight open account. Eligibility and credit will be determined through our application process and evaluated from time to time. Dealers who participate in Edney’s seasonal early-order programs will be eligible for extended dating. It is expected that these items will be sold “in-trust.” In other words, the dealer will pay Edney out of their sale proceeds when the item is retailed or by the end of the agreed upon term, whichever is sooner. Accounts that are not kept in good standing may be assigned to C.O.D. status. Dealers with C.O.D. account status carrying a “zero” account balance may be eligible to receive cash discounts. However, dealers with C.O.D. accounts carrying a “past due” account balance will not be eligible for cash discounts. Dealers assigned to C.O.D. status will be required to prepay for orders via cashier check, credit card, or wire. Orders will not be released until payment has been received by Edney Distributing.

### *WILL CALL ORDERS*

When ordering, dealers may opt to pick up their items at one of our warehouses instead of arranging for shipment. If the items are back ordered, you will be notified when your order is available and can arrange for a pick-up, or you may opt to ship the items at that time. Will call orders not picked up by the dealer within 30 days of notification may be cancelled by Edney Distributing and/or resold to a different dealer. Edney Distributing Company attempts to maintain adequate stocks to cover all of our pending will call orders; however, it is impossible to fill such orders without a specific pick-up date.

### *BACK ORDERS*

When back ordered merchandise is received by Edney Distributing, an Edney dealer support person will contact you. Back orders will be filled as soon as the merchandise is received by Edney Distributing based on your preference for a full or partial shipment, unless we receive other instruction or a written order cancellation.

*The full trade policy document is available upon request.*

*Please, contact [sales@edneyco.com](mailto:sales@edneyco.com) or 888-443-3639 to have it emailed, faxed, or mailed by our dealer support team.*









SCAN HERE  
FOR MORE  
HAY & FORAGE  
PRODUCTS.

SCAN HERE TO  
ORDER MORE  
GUIDES



INTEGRITY | SERVICE EXCELLENCE | TEAMWORK | CONNECTION | INNOVATION