



DISTRIBUTING CO., INC.

SINCE 1951

SNOW & ICE MANAGEMENT GUIDE

EDNEY DISTRIBUTING CO., INC.

888.443.3639 • WWW.EDNEYCO.COM • @EDNEYCO



ABOUT US

Edney Distributing Company, Inc. is a wholesale distributor of high quality equipment focusing on the following markets: agricultural, lawn and turf maintenance, forestry, and light industrial. For a complete listing of our equipment (including hay equipment, rotary cutters, zero-turn mowers, ATV and skid steer attachments, and snowblowers), reference our online catalog at www.edneyco.com/products.

Comprised of more than 750 reputable retail equipment dealer locations, our dealer network is represented in South Dakota, North Dakota, Minnesota, Wisconsin, Iowa, Michigan, Illinois, and Montana. We are proud to supply our dealers with innovative attachments and specialized equipment from manufacturers around the world. Most of the manufacturers for whom we distribute products have been business partners with us for many years, some dating back to the 1950s. However, we are continually searching for new products to better help our dealers meet their customers' changing needs.

Experienced Edney team members offer value-added services to dealers including product specifications and pricing, logistics, warranty support, and training. Our offices are linked together by state-of-the-art phone and computer systems. No matter where a team member is based, we are able to offer friendly, speedy, and accurate dealer support.

Locations:

- Fargo, North Dakota
1230 43rd Street NW, Fargo, ND 58102
- Huron, South Dakota
1895 Highway 14 East, Huron, SD 57350
- Lakeville, Minnesota
8485 215th Street W., P.O. Box 1236, Lakeville, MN 55044
- Portage, Wisconsin
2571 W. Wisconsin St., Portage, WI 53901



For more information, visit www.edneyco.com.

CONTENTS

SNOW BLOWERS

Meteor Snow Blowers by MK Martin	4-5
SB Select Snow Blowers by MK Martin	6
Everest Snow Blowers by General Metal	7

SNOW BUCKETS AND BROOMS

Snow Buckets by HLA	8
Snow Baskets by HLA	8
Rotary Brooms (Hydraulic) by HLA	8
Rotary Brooms (Hydraulic and PTO) by Worksaver	8

SNOW PUSHERS

Snow Pushers by HLA	9-10
Snow Pushers by Worksaver	11

SNOW BLADES

Snow Wings by HLA	12-13
Snow Blades by HLA	14-16
Snow Blade Options by HLA	17-18
Snow Blades by Worksaver	19

SALT & SAND SPREADERS

Scatter Shot Broadcast Spreader (Hydraulic and PTO) by HLA	20
Broadcast Spreaders (Electric, Hydraulic, and PTO) by Herd	21
Drop Spreaders by Bauman	22-23

In addition to snow and ice equipment, Edney Distributing is a full-service distributor of agricultural, light industrial, forestry, and landscape equipment.



SINGLE AUGER

Single-auger snow blowers from MK Martin easily cut through winter's icy grasp. High tensile steel flighting feeds snow to the 5-blade fan. It's tight tolerance to the housing sucks in the snow, blowing it out of the chute with as little as 12 HP.

For convenience, snowblowers with a main body height of 25 inches or less come with a standard manual chute rotator. On larger blowers where operators may not be able to safely reach a manual rotator as standard equipment, a hydraulic rotator may be selected.

SB48: 266 lbs.	SB72: 540 lbs.
SB54: 366 lbs.	SB78: 748 lbs.
SB60: 396 lbs.	SB87: 1,034 lbs.
SB68: 506 lbs.	SB97: 1,106 lbs.

PULL TYPE

The pull-type Meteor models are built with the same durability as the forward-facing models. Rather than having to look over your shoulder to guide the blower around objects, the pull-type blower follows the path of your tractor. This action keeps the operator driving away from the blown snow, increasing visibility and creating a better operator experience.

A 3PH pull-type Meteor snow blower can be equipped with an optional hydraulic scraper. Equipped with corner markers so you always know its position, the scraper allows you to pull snow away from doorways and structures so you don't miss a thing.


SB60 P/T: 525 lbs.
SB68 P/T: 671 lbs.
SB78 P/T: 900 lbs.
SB87 P/T: 1,034 lbs.
SB97 P/T: 1,225 lbs.



DUAL AUGER

Dual-auger snow blowers from MK Martin work well in both acreage and commercial applications. Boasting up to a 120 inch cutting path, these snow blowers accommodate an additional auger to help chew down the most stubborn of snow banks. Larger blowers mean larger tractors. To accommodate the PTO needs of larger tractors, dual-auger blowers are compatible with the optional 1000 RPM PTO kit.

All dual-auger model snow blowers feature skid shoes to help maintain consistent placement of the cutting edge and prevent surface damage.



SB87D: 1,161 lbs.
SB97D: 1,900 lbs.
SB108D: 1,980 lbs.
SB120D: 3,010 lbs.

Standard Color: Charcoal Gray
Early Order Colors Available: Red, Orange, Green, Blue



TRUCK LOADING CHUTE

During tough winters when the snow starts to pile up, the MK Martin truck loading chute is the answer. This extendible chute allows operators more flexibility and control for where snow is placed. The extendable chute and the multi-hinged deflector make placing snow higher on the pile or into a waiting truck easy and virtually spill-free. The truck loading chute is available on all dual-auger models. The chute features hydraulic rotation, hydraulic height extension, and a hydraulic deflector. These three independent controls work together to ensure that snow is placed with extreme precision.



LOADER MOUNT

The loader-mount Meteor is the ideal snow blower package for owners of small tractors equipped with loader arms. The package includes a self-contained, PTO-driven power pack to drive the hydraulics required by the snow blower. The power pack holds up to 30 gallons and runs 2500 PSI at 30 gallons per minute on as little as 40 HP. Well out of reach, loader mount Meteor packages feature hydraulic chute rotators and hydraulic deflectors, easily putting snow in its place.

Note: Different mounting options available; please contact Edney to confirm availability.



SKID STEER

The hydraulic-powered Meteor snow blower provides year-round benefits to skid loader owners with universal quick-attach couplers. For optimal performance, hydraulic motors need to match the equipment's minimum GPM rating.

SSB62: 900 lbs.

SSB86: 975 lbs.

SSB66: 925 lbs.

SSB96: 1,025 lbs..

SSB76: 950 lbs.





The Select Series snowblowers are built to get your work off the ground with durable performance, high capacity design, and a range of models from 15HP compact tractors to 175HP farm tractors, and from 48 to 102 inches.

Select snowblowers get the snow out of your way and put it where you want it with chute rotators, available in manual or bolt-on hydraulic.

The 1000 RMP Kit is available on the 97 and 108 models. This allows larger tractors to run at 1000 RPM PTO. This kit also raises the input shaft to allow the PTO shaft to run at a lesser angle on larger tractors, increasing the efficiency and life of the driveline components.

Standard Color: Charcoal Gray

Early Order Colors Available: Red, Orange, Green, Blue

SEL48: 266 lbs.	SEL54PT: 462 lbs.
SEL54: 366 lbs.	SEL60PT: 495 lbs.
SEL60: 396 lbs.	SEL68PT: 671 lbs.
SEL68: 506 lbs.	SEL72PT: 685 lbs.
SEL72: 540 lbs.	SEL78PT: 900 lbs.
SEL78: 748 lbs.	SEL87PT: 1,175 lbs.
SEL87S: 1,034 lbs.	SEL97PT: 1,225 lbs.
SEL87D: 1,161 lbs.	
SEL97S: 1,106 lbs.	
SEL97D: 1,900 lbs.	
SEL108D: 1,980 lbs.	



EVEREST BY GENERAL METAL



6108 & 6120

SPECIFICATIONS & FEATURES:

1000 RPM oil bath drive, hydraulic chute control, PTO shear pin protection, double auger, hydraulic chute deflector, adjustable hitch, adjustable skid shoes, cat. 2 and 3 std. or cat. 3N QH, replaceable cutting edge, 5-blade fan, 38 inch diameter fan and 32 inch diameter serrated lower auger. 6108 is 108 inches, and 6120 is 120 inches.

6120: 2800 lbs.

6108: 2440 lbs.

6108HD & 6120HD

SPECIFICATIONS & FEATURES:

1000 RPM Oil Bath Drive, Hydraulic Chute Control, PTO Shear Pin Protection, Double Auger, Hydraulic Chute Deflector, Adj. Hitch, Adj. Skid Shoes, Cat. 2 & 3 Std. or Cat. 3N QH, Replaceable Cutting Edge & 5 Blade Fan. The model 6120HD has the same features as model 6108HD. Plus 5 Blade 38" Diameter Fan & 23" Diameter Serrated Lower Auger, 1 3/4" 20 Spline PTO Shaft.

6108HD: 3220 lbs.

6120HD: 3440 lbs.



6096

Features a 3-position adjustable hitch for ease of attachment. Replaceable cutting edge and manual spout deflector are standard on 6096 model. The integrated hydraulic spout rotator makes efficient use of your hydraulic power available. The 4-blade fan is perfect for getting any job done. Cutting width is 98.5 inches.

1445 lbs.

6060, 6072, & 6084

SPECIFICATIONS & FEATURES:

Quick hitch compatible, 3-position adjustable hitch for ease of attachment, manual spout rotator standard, integrated hydraulic spout rotator optional, 6-position adjustable skid shoes allow for precise height setting of the cutting edge. 6060 - 60 inch cutting width; 6072 - 72 inch cutting width; 6084 - 84 inch cutting width.

6060: 485 lbs.

6072: 625 lbs.

6084: 765 lbs.



SNOW BUCKETS BY HLA



SNOW BUCKET

- 38 inches deep
- 32 inches High
- 60 to 120 inch Widths (6 inch increments)

SNOW BASKET

- Available widths 60 to 120 inches
- Profile 39 inches deep and 32 inches high
- Tapered endplates
- Tall rounded endplates for increased capacity
- Excellent operator visibility
- Max operating weight: 20,000 lbs.
- 50 to 125 HP Required



HYDRAULIC ROTARY BROOM

- Unique lateral and forward float
- Gauge wheels
- Includes electric selector valve and wire kit (if you do not choose OEM control kit)
- Includes hydraulic hoses and flat-faced couplers
- 26 inch diameter wafers poly/steel
- Hydraulic angle 30° right and left
- Direct motor drive on broom
- Oil flow required 12 to 20 GPM
- Optional reversible rotation for sweeping away from walls, doors, etc.



ROTARY BROOMS BY WORKSAVER



ROTARY BROOMS - HYDRAULIC OR PTO

- Performance-driven rotary brooms for use by contractors municipalities, institutions, and farmers
- Remove dirt, sand, gravel, and snow from construction entrances parking lots, bridges, driveways, and sidewalks
- Remove thatch and prepare turf for the growing season
- Excellent for general clean-up before sealing or repairing pavement
- Available as either a skid steer or 3 pt.



SNOW PUSHERS BY HLA

4500 SNOW PUSHER

- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip cutting edge
- Q-tach or direct fit to accept most makes of loaders
- 36 inch deep fixed endplate
- 10 to 14 foot widths
- 34 inch high mouldboard

MAX OPERATING WEIGHT: 25,000 lbs.



5500 SNOW PUSHER

- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip cutting edge
- Q-tach or direct fit to accept most makes of loaders
- 44 inch deep fixed endplate
- 12 to 18 foot widths
- 42 inch high mouldboard

MAX OPERATING WEIGHT: 40,000 lbs.

3500X EXPANDABLE SNOW PUSHER

- Expandable pusher
- Flow divider valve
- Trip cutting edge
- Compressions springs for trip
- Fixed skid shoes
- Built in back drag
- Inner mouldboard
- 2-year warranty

MAX OPERATING WEIGHT: 15,000 lbs.



3 POINT HITCH MOUNT

- Utilize your pusher as a pull unit
- Available on all 2500 & 3500 pushers
- Ideal for cleaning away from doors & loading docks
- SP2500 fits both Cat I & II
- SP3500 fits Cat II
- Approx. weight: 375 lbs.

SNOW PUSHERS BY HLA



1500 SNOW PUSHER

- Double sidewall eliminates bulky brace
- Replaceable, reversible steel or rubber cutting edge (non-tripping)
- High-tensile AR400 adjustable steel skidbars
- 4 foot, 6 inch to 5 foot, 6 inch widths

MAX OPERATING WEIGHT: 3,000 lbs.



1800 SNOW PUSHER

- Double sidewall eliminates bulky brace
- Replaceable, Reversible steel cutting edge
- Slim brace design for reduced material build-up
- High tensile AR400 adjustable steel skidbars

MAX OPERATING WEIGHT: 4,000 lbs.



2500 SNOW PUSHER

- Double sidewall eliminates bulky brace
- Replaceable, reversible rubber cutting edge (non-tripping)
- High-tensile AR400 adjustable steel skid bars
- 6 to 8 foot widths
- 30 inch high mouldboard

MAX OPERATING WEIGHT: 6,000 lbs.

3500 SNOW PUSHER

- Double sidewall eliminates bulky brace
- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip cutting edge
- High-tensile AR400 adjustable steel skid bars
- 36 inch deep fixed endplate
- 7 to 12 foot widths
- 38 inch high mouldboard

MAX OPERATING WEIGHT: 15,000 lbs.





SNOW PUSHERS BY WORKSAVER



SNOW PUSHERS 20 SERIES

Performance matched to fit Sub-Compact tractors up to 32 HP, the 20-Series snow pushers are sized to the tractor for maximum snow removal. Available in widths of 4' or 5', these pushers are offered with either a ultra rubber cutting edge or alloy steel cutting edge.

- Adjustable skid shoes of AR-400 material.
- End plates with gentle slope design.
- Models are available to fit "Universal" skid steer attaching system and John Deere hook & pin quick attach.
- Optional Pull-Back kit available for all models.
- Available in widths of 4' or 5' with either a ultra rubber cutting edge or alloy steel cutting edge.
- CNC formed 11-gauge moldboard with formed 10-gauge back brace for strength and durability.

SNOW PUSHERS 24 SERIES

Engineered to fit compact and sub-compact tractors. The 24-Series snow pusher is job-matched to the tractor for maximum performance.

- Replaceable 1 inch x 6 inch reversible rubber cutting edge is standard on "R" models
- Replaceable 3/8 inch x 6 inch reversible steel cutting edge is standard on "M" models
- Models to fit loaders with "Universal" skid steer attaching system
- Models to fit John Deere 200/300/400 series loaders with quick attach system
- All models feature adjustable & reversible skid shoes of high abrasive resistance steel



SNOW PUSHERS 36 SERIES

Engineered for skid steer loaders and utility tractors from 50-90 HP (depending on model), these 36-series snow pushers consistently deliver the high performance today's large property owners demand. They feature an adjustable & reversible 1.5 inch x 8 inch premium rubber cutting edge, 4-inch-wide reversible skid shoes of abrasive resistant steel, and 7-gauge moldboard. Models are available to fit "universal" skid steer attaching system, John Deere 400/500 attaching system and the Global/Euro tool carrier.

Standard Color: Gray

Early Order Colors Available:
Red, Orange, Green, Black



SNOW WINGS BY HLA



SNOW WING

Open from box blade to straight blade and get that extra clearing width on the fly. But it doesn't stop there: the end plates are hydraulically controlled and equipped with industry-proven rotary actuators, giving limitless control within the massive 180° rotation. This means you can use your blade

on an angle with one end open and the other parallel to the direction you are driving. Get closer to buildings and parking stones without risking damage. Then rotate the end plates into a reverse box blade and drag the snow away for full clearing in the tightest of spaces.



Straight Blade



Box Blade



Reverse Box Blade



Angle Blade



3230W SNOW WING

- 180° Rotation
- 35° Angle with Crossover Relief Valve
- Floating End Plate Edge
- Lateral Float
- Mouldboard Profile
- Skid Shoes
- Rotary Actuators - Patented
- Replaceable, Reversible Cutting Edge
- Spring Trip Cutting Edge
- Tire Protection System - Patented
- Double Selector Valve
- Quick attach frame kits available for most makes - call for details
- 2-year Warranty

MAX OPERATING WEIGHT: 10,000 lbs.

4200W SNOW WING

- 180° Rotation
- Crossover Relief Valve
- Floating End Plate Edge
- Lateral Float
- Mouldboard Profile
- Skid Shoes
- Replaceable, Reversible Cutting Edge
- Rotary Actuators - Patented
- Spring Trip Cutting Edge
- Tire Protection System - Patented
- 2-year Warranty

MAX OPERATING WEIGHT: 25,000 lbs.



4206W SNOW WING

- 6 foot Wings
- Removable Upper Wing Tip
- 180° Rotation
- Crossover Relief Valve
- Floating End Plate Edge
- Lateral Float
- Nitrate Rods on Angle Cylinders
- Skid Shoes
- Replaceable, Reversible Cutting Edge
- Rotary Actuators - Patented
- Spring-Trip Cutting Edge
- Tire Protection System - Patented
- 2-Year Warranty

MAX OPERATING WEIGHT: 25,000 lbs.



SNOW WINGS BY HLA

5200W SNOW WING

- 180° Rotation
- Crossover Relief Valve
- Floating End Plate Edge
- Lateral Float
- Mouldboard Profile
- Nitrate Rods on Angle Cylinders
- Skid Shoes
- Replaceable, Reversible Cutting Edge
- Rotary Actuators - Patented
- Spring-Trip Cutting Edge
- Tire Protection System - Patented
- 2-Year Warranty

MAX OPERATING WEIGHT: 40,000 lbs.



5206W SNOW WING

- 6 foot Wings
- Removable Upper Wing Tip
- 180° Rotation
- Crossover Relief Valve
- Floating End Plate Edge
- Lateral Float
- Skid Shoes
- Nitrate Rods on Angle Cylinders
- Replaceable, Reversible Cutting Edge
- Rotary Actuators - Patented
- Spring-Trip Cutting Edge
- Tire Protection System - Patented
- 2-Year Warranty

MAX OPERATING WEIGHT: 40,000 lbs.



6205W SNOW WING

- 180° Rotation
- Crossover Relief Valve
- Floating End Plate Edge
- Lateral Float
- Mouldboard Profile
- Nitrate Rods on Angle Cylinders
- Skid Shoes
- Replaceable, Reversible Cutting Edge
- Rotary Actuators - Patented
- Spring-Trip Cutting Edge
- Tire Protection System - Patented
- Floating Blade Hinge
- 2-Year Warranty

MAX OPERATING WEIGHT: 60,000 lbs.



SNOW BLADES BY HLA



1000 SNOW BLADE

- 35° angle
- Available with manual or hydraulic angling
- Q-tach or direct fit to accept most makes of loaders
- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip mouldboard
- High-tensile AR400 skid shoes
- Lateral float
- Clearing width approx. 1.5 foot narrower when angled
- 42 to 96 inch widths
- 20 inch high mouldboard

MAX OPERATING WEIGHT: 3,000 lbs.
20 - 40 HORSEPOWER

2000 SNOW BLADE

- 35° angle
- Q-tach or direct fit to accept most makes of loaders
- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip mouldboard
- High-tensile AR400 Skid Shoes
- Crossover relief valve
- Lateral float
- Clearing width approx. 1.5 foot narrower when angled
- 5 to 8 foot widths
- 24 inch high mouldboard

MAX OPERATING WEIGHT: 5,000 lbs.
30 - 50 HORSEPOWER



3000 SNOW BLADE

- 35° angle
- Crossover relief valve
- Q-tach or direct fit to accept most makes of loaders
- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip cutting edge
- High-tensile AR400 Skid Shoes
- Adjustable lateral float
- Clearing width approx. 1.5 foot narrower when angled
- 6 to 10 foot widths
- 30 inch high mouldboard

MAX OPERATING WEIGHT: 10,000 lbs.





SNOW BLADES BY HLA

4000 SNOW BLADE

- 35° angle
- Crossover relief valve
- Q-tach or direct fit to accept most makes of loaders
- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip cutting edge
- High-tensile AR400 skid shoes
- Adjustable lateral float
- Clearing width approx. 1.5 foot narrower when angled
- 9 to 14 foot widths
- 34 inch high mouldboard

MAX OPERATING WEIGHT: 25,000 lbs.



5000 SNOW BLADE

- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip cutting edge
- High-tensile AR400 skid shoes
- Q-tach or direct fit to accept most makes of loaders
- 36 inch deep spring trip endplate (optional)
- Clearing width approx. 1.5 foot narrower when angled
- 9 to 18 foot widths
- 42 inch high mouldboard
- Nitrate rods on angle cylinders
- Two 3x16 angle cylinders
- 35° angle either direction

MAX OPERATING WEIGHT: 40,000 lbs.



6000 SNOW BLADE

- Crossover relief valve
- Lateral float
- Mouldboard profile
- Nitrate rods on angle cylinders
- Replaceable, reversible cutting edge
- Skid shoes
- Spring-trip cutting edge
- Floating blade hinge
- 2-year warranty

MAX OPERATING WEIGHT: 60,000 lbs.



SNOW BLADES BY HLA



V-BLADE

- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip cutting edge
- Q-tach or direct fit to accept most makes of loaders
- 48 to 60 inch widths (6 inch increments)
- 24 inch high mouldboard

MAX OPERATING WEIGHT: 10,000 lbs.

SB 3600V SIX WAY BLADE

- Ideal sidewalk blade for compact tractors & skidsteers
- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip cutting edge
- 35-degree angle with cross over relief valve protection
- 30 inch high mouldboard with lateral float
- 54 to 84 inch widths (6 inch increments)
- C/w 5/8 inch AR600 cutting edge
- C/w single diverter valve
- High-tensile AR400 skid shoes

MAX OPERATING WEIGHT: 10,000 lbs.



SB 4600V SIX WAY BLADE

- Ideal for small roadways & driveways
- Replaceable, reversible steel cutting edge
- Replaceable, reversible rubber cutting edge (optional)
- Spring-trip cutting edge
- 35-degree angle with cross over relief valve protection
- 34 inch high mouldboard with lateral float
- 96 to 144 inch widths
- Standard carbon cutting edge, optional boron and carbide cutting edge
- C/w single diverter valve
- High-tensile AR400 skid shoes

MAX OPERATING WEIGHT: 25,000 lbs.





SNOW BLADE OPTIONS BY HLA

SPILL GUARD OPTIONS

- Bolt-on
- For 3000 & 3200W (10 inches high)
- For 4000 & 4200W (12 inches high)
- For 5000 & 5200W (12 inches high)



SNOW BLADE CARRIER

- Eliminate over-width issues by loading your HLA snow blade on the Horst carrier and tow it from site to site
- Quick disconnect - load and reconnect in minutes
- 20.5 x 8-10 F range highway rated tires
- Fenders
- Road signal light kit
- Approx. weight: 1,050 lbs.




SNOW BLADE MARKERS

- 27 inches high
- Can be mounted on most blades (will not adapt to manual flip up end plates)



SNOW BLADE OPTIONS BY HLA



EDGEFLEX

Plowing with an EdgeFlex is easy; just lay the blade down and run. While you worry about blade placement and controlling the direction of the flowing snow, HLA's EdgeFlex technology works its way across the surface, adapting to the contours for cleaner results.

Available in these snow blade series:

- 3000
- 4000
- 5000
- 6000
- Segmented cutting edge for adaptability to maintain consistent contact over uneven surfaces
- Moldboard transfers its weight evenly across cutting edge
- Protects surface from potential damage of conventional blades when they scrape over high spots
- Each section moves independently
- 1.5 inch Vertical Travel
- 5° Tilt
- Rubber Block Suspension
- Cutting Edge
- Bushings

UNDERCARRIAGE TRACTOR MOUNTS

- Heavy duty parallel linkage for optimum lifting height
- Q-Tach from blade to undermount is standard
- Euro mount standard on the 3000 and 4000 series
- Industrial mount standard on the 5000 series
- Package includes all mounting hardware and hose kits
- Mounts available for most makes; call Edney for details
- Soft ride accumulator



The HLA Undercarriage Mount is securely connected to both the front and rear of your tractor. Relying on the rear of the mount, the force is pushed through the drawbar from the front of the mount, providing incredible pushing strength. Also using parallel linkage, you can rest assured that the blade will always remain parallel to the ground, whether it's raised for stacking snow or at full angle.

4000/5000 SERIES LONG WEAR HIGHWAY SKID SHOE OPTION



- Available only for 4000, 4200W, 4500, 5000, 5200W, and 5500 Series blades
- Long-wearing properties for extended life span



SNOW BLADES BY WORKSAVER

SNOW BLADES

- Ideal for residential or commercial snow removal. Use on driveways, parking lots, or other large areas
- 7.5 foot and 9 foot models feature 5° lateral oscillation to allow blade to follow ground contours
- Two trip springs for controlled break over in snow
- Clamp-on blade for compact tractors
- Reinforced 21 or 27 inch high 10-gauge moldboards provide long service life
- 3/8 inch x 6 inch cutting edge of 1044 steel
- Blade locks for grading loose dirt or gravel
- Step-through design allows for easy access to skid steer seat
- Quick hook up on skid steers or front loaders equipped with "Universal" mounting plate
- Blade angles right or left
- Adjustable skid shoes of AR steel are ½ inch thick and rotate for long life
- Select models integrate either the Euro/Global or John Deere 400/500 series mounting for easier hook up
- Two bucket clamp-on models for compact tractors
- SBFL models can be paired with optional brackets for most tractor loaders



Skid Steer Snow Blade



Mini Skid Steer Snow Blade



Front-Loader Snow Blade



Clamp-On Snow Blade

SCATTER SHOT BY HLA

**SCATTERSHOT**

The Scattershot makes short work of your spreading tasks. Made of durable galvanized steel, the Scattershot can handle what it dishes out. From sand to salt, the internal agitators prevent materials from clumping or building up, so you get the most out of every load. This broadcast spreader comes in Singleshot and Doubleshot models.

SINGLE SHOT HS100

The Scattershot makes short work of your spreading tasks. This broadcast spreader comes in Singleshot and Doubleshot models.

The ice won't know what hit it when you take aim with the Singleshot broadcast spreader. The half-yard hopper is also a durable scoop ready to load and reload at a moment's notice (on select models).

Made of durable galvanized steel, the Scattershot can handle what it dishes out. From sand to salt, the internal agitators prevent material from clumping or building up, so you get the most out of every load.

Add the optional 3-foot drop shield, and this broadcast spreader is ready to take on paths and sidewalks without a lot of overspray.

UP TO 40-FOOT BROADCAST

**DOUBLE SHOT HS200**

Unload both barrels on your biggest jobs with the Doubleshot. This dual broadcast spreader can spread up to 60 feet wide. The twin hoppers are combined into a yard-and-a-half capacity scoop that self loads with ease. Give your plow all the back up it needs with the 3-point mount. Now you can plow, load and spread all with one machine.

UP TO 60-FOOT BROADCAST





PTO POWERED SALT/SANDERS

Herd Salt/Sand Spreaders are rugged enough for heavy-duty ice control usage. Whether for personal use or commercial, Herd spreaders are ideal for parking lots, driveways, and sidewalks of any size.

Herd's unique agitator system ensures positive feed of all materials. The Herd Salt/Sand Spreaders can spread wet sand stored outside and sand mixed with salt or calcium chloride.

Herd has three sizes of PTO-powered spreaders from which to choose:

- Model 5.5 holds 550 lbs. of wet sand or 5.5 feet³ of material
- Model 750S holds 1200 lbs. of wet sand or 12 feet³ of material
- Model 1200S holds 2000 lbs. of wet sand or 20 feet³ of material

SKID STEER MOUNTED SALT/SANDERS

Herd Salt/Sand Spreaders are rugged enough for heavy-duty ice control usage. Whether personal use or commercial, Herd spreaders are ideal for parking lots, driveways, and sidewalks of any size.

The Herd Salt/Sand Spreader is the tool for efficient de-icing. The Model 750SSS couples the versatility of today's skid steers with durability that Herd is known for. Utilizing a unique agitator design, the Herd Salt/Sand Spreader is the most effective method of spreading any combination of sand (wet or dry), salt, and calcium chloride.

- Easy to hook up with a flow valve on the hydraulic motor to control width of spread from driver's seat
- Universal skid steer attaching design for easy compatibility and security
- Rugged 14-gauge hopper to withstand the heaviest use
- Powder-coated paint to endure the elements
- Capacity of 1200 lbs. wet sand or 12 feet³ of material



DROP SPREADERS BY BAUMAN



Bauman drop spreaders prevent waste and property damage with the most accurate de-icing dispensing equipment on the market. Backed by a tradition of quality for over 40 years and with 9 models to choose from, Bauman has the right solution for you.

MODEL 220 WALK BEHIND DROP SPREADER

Capacity: 2 feet³
Spread Width: 20 inches
Estimated Spread Distance: 0.93 miles
Drive: Manual
Length: 47 inches
Width: 30.5 inches
Weight: 90 lbs.
Vehicle: Walk Behind



MODEL 320T TOWABLE DROP SPREADER

Capacity: 3 feet³
Spread Width: 20 inches
Estimated Spread Distance: 1.38 miles
Drive: Towable Ground
Length: 54 inches
Width: 36 inches
Weight: 140 lbs.
Vehicle: Towable

MODEL 1040SI UTV DROP SPREADER

Capacity: 10 feet³
Spread Width: 40 inches
Estimated Spread Distance: 5.28 miles
Drive: Electric
Length: 58 inches
Width: 47 inches
Weight: 300 lbs.
Vehicle: UTV





MODEL 440 DROP SPREADER

Capacity: 4 feet³
 Spread Width: 40 inches
 Estimated Spread Distance: 1.86 miles
 Drive: Electric or Hydraulic
 Length: 19 inches
 Width: 47 inches
 Weight: 235 lbs.
 Vehicle: Sub-compact Tractors

MODEL 640 DROP SPREADER

Capacity: 6.5 feet³
 Spread Width: 40 inches
 Estimated Spread Distance: 3.36 miles
 Drive: Hydraulic, PTO
 Length: 27 inches
 Width: 47 inches
 Weight: 315 lbs.
 Vehicle: Compact Tractors, Optional Skid
 Steer Mounting



MODEL 960 DROP SPREADER

Capacity: 9 feet³
 Spread Width: 60 inches
 Estimated Spread Distance: 5.28 miles
 Drive: Hydraulic
 Length: 25.5 inches
 Width: 67.5 inches
 Weight: 440 lbs.
 Vehicle: 3PH Tractor Mount





DISTRIBUTING CO., INC.

888.443.3639 • WWW.EDNEYCO.COM • @EDNEYCO

1895 Highway 14 East
Huron, SD 57350

8485 215th Street West
Lakeville, MN 55044

1230 43rd Street NW
Fargo, ND 58102

2571 West Wisconsin
Portage, WI 53901



EquipmentDealers
ASSOCIATION

