FOOD PLOT GUIDE

PRODUCT GUIDE | 2024



INTEGRITY | SERVICE EXCELLENCE | TEAMWORK | CONNECTION | INNOVATION



ABOUT US

Thank you for your interest in Food Plot Products offered by Edney Distributing Co., Inc. We are excited to work with you to supply your customers with innovative products from respected manufacturers around the world. We look forward to providing you with exceptional customer service and support. Our team is committed to helping dealers be successful and stands ready to assist you in any way we can.

Edney Distributing has served the upper Midwest as a wholesale distributor of high-quality equipment focusing on the agricultural, lawn and turf maintenance, snow and ice management, forestry, and light industrial equipment industries. We are a thriving fourth-generation family business with supplier partnerships often lasting generations and an unmatched dedication to customer satisfaction. With more than 1000 reputable dealers in South Dakota, North Dakota, Minnesota, Wisconsin, Iowa, upper Michigan, northern Illinois, and eastern Montana, Edney Distributing has earned a reputation as a reliable and trusted partner.

Experienced Edney Distributing team members offer value-added services to dealers including product solutions and specifications, pricing, logistics advice, warranty support, product and sales training, and information on opportunities for collaborative growth. No matter where a team member is based, we offer friendly, speedy, and accurate service.

DEALER SUPPORT CENTERS

8485 215TH ST W 1895 HWY 14 E 1230 43RD ST. NW 2571 W WISCONSIN ST LAKEVILLE, MN 55044 HURON, SD 57350 FARGO, ND 58102 PORTAGE, WI 53901



For more information, dynamic product search, and online ordering visit edneyco.com or call 1-888-443-3639

TABLE OF CONTENTS

Application Equipment Sprayers, Spreaders	AG Spray, Herd, Worksaver	4-5
ATV/UTV Attachments Sprayers, Seed Spreaders, Disc/Cultipacker Combo, Fertilizer Spreader, Manure Spreader, Flip-over Disc	AG Spray, Herd, Ideal, Worksaver	6-8
Crimpers	PH Outdoors	9
Cultivators	MK Martin, Ideal, Northstar	10
Disc Harrows	Ideal, SC Products	11
Drag Harrows	MetalX	12
Flail Mowers	Berti, Nordland, Sovema	13-14
Forestry & Mulchers	Balfor, Baumalight	15
Log Grapples	Fransgard	16
Moldboard Plows	Ideal	17
Planters & Seed Drills	PH Outdoors Kasco	18-19
Rotary Cutters	Nordland, Ideal, MK Martin	20-21
Soil Preparation	Kasco, Worksaver	22
Tillers	Nordland, Ideal, Sovema	23-24
Tree & Post Pullers	Danuser, TMW	25
WEBSITE, DISCLOSURES & NOTES		26-31

APPLICATION EQUIPMENT





MC 1 SPRAYER

- MC close coupled tank
- 60 or 90 gallon fully drainable tank
- Category 1 lift pins
- Quick-attach compatible



3-PT PTO DRIVEN SEEDER/SPREADER

- Choice of large hopper capacity
- Easy shift lever for directional spread
- Strong tubular steel main frame
- Heavy-duty gearbox
- Fits Cat. I hitches







MODEL M-12

- Makes quick work of big jobs
- Durable
- Spinning agitator consistently spreads both seed or fertilizer
- Seed rates can be adjusted down to approximately 2 lbs per acre



MODEL 550-3-PT

- 550 lbs and 5 bushel capacity
- Fertilizer can be spread from 50 to 1,000 lbs per acre.
- Maneuverable size is a good fit for estates, parks or smaller acreage



SUR-FED BRANCASTER

MODEL 750-3-PT

- Ideal for Cat. I tractors
- Convenient 750 lbs capacity
- Ideal for smaller acreage jobs in farms, orchards or groves, schools or parks
- Rugged fan assembly provides consistent seeding



MODEL 1200C-3-PT

- Ideal for Cat. II Tractors
- · Round base assures even feeding
- 1,200 lbs and 16 bushel capacity
- Dispenses 3 lbs of seed per acre to 1,000 lbs of fertilizer per acre

ATV/UTV ATTACHMENTS





UTV SPRAYER

- Available in Boomless, 5, or 7 Nozzle configurations
- 45, 65, and 105 gallon models
- Specifically built for the bed of your UTV
- Shurflo pumps and polyethylene tanks.
- Handgun Kit Included

15 & 25 GALLON ATV SPRAYER

- Available in Boomless*, 2, 5, & 7 Nozzle configurations
- Handgun Kit Included
- Shurflo pumps and polyethylene tanks
- 1-year warranty
 - * Only works with 25 gallon model

SPRAY BOOM OPTIONS INCLUDE:



2 Nozzle boom with 80" of coverage



5 Nozzle folding boom with 100" of coverage



7 Nozzle folding boom with 140" of coverage

Herd SEEDER CO., INC.

MODEL GT-77-ATV

- Ideal fit for most ATVs, UTVs, Side-by-Side vehicles, or lawn mowers
- · Calibrates to the smallest seed
- Vibrating agitator system ensures a constant feed







UTV DISC/CULTIPACKER COMBO

- 76" width / 90" length / 34" height
- 8 blade tillage disc
- Adjustable cultipacker
- 2-way ratchet height adjustment 76" width
- 711 lbs

UTV FERTILIZER SPREADER

- Broadcast up to a 20' spread pattern
- 5 bushels (300 lbs) tub capacity
- Adjustable flow window
- Easy to read rate chart
- Ground driven no extra power needed

UTV MANURE SPREADER

- 13 Cubic foot capacity
- Tractor tire tread
- Chain driven agitator system
- Steel frame with extruded aluminum drum
- 51" width / 74" length / 27" height
- 207 lbs









FLIP-OVER DISC

- For tilling gardens, orchards, or field game plots
- Flips over for easy transport
- 60" Operating Width
- 35" Overall Height
- 70" Overall Length (with tongue)
- Eight 16" notched disc blades
- 20° angle disc gangs
- 4" x 12" Pneumatic Tires
- Rear tab can accommodate a drag harrow attachment

ADDITIONAL ATV ATTACHMENTS IN THIS GUIDE

- Crimpers PH Outdoors, Tow Behind Crimper Page 9
- Drag Harrows MetalX, Variable Action Chain Link Drag Harrow Page 12
- Planter & Seed Drills PH Outdoors, G3 No-Till Drill Page 18
- Planter & Seed Drills Kasco, Plotters Choice & Versa-Drill Page 19
- Rotary Cutters MK Martin, Pulsar-Trail/UTV Mower Page 21
- Soil Packers Worksaver, Flip-Over Cultipacker Page 22

CRIMPERS





CRIMPERS

• Available in 6', 8', and 10'

• Weight: 1,650 lbs to 2,540 lbs

• Speed: Adjust to condtions

• HP 30-50



TOW BEHIND CRIMPER

• Available in 4'

• Weight: 868 lbs

• Speed: Adjust to condtions

• Hitch Type: Clevis

CULTIVATORS



CU-7 S-TINE CULTIVATOR

- Cat.1 3-PT Hitch
- Heavy-duty S tines are heat treated for longer wear life
- Fits perfectly with the hobbyist line of equipment





ONE ROW FIELD CULTIVATOR

- 6 C-shaped tines have both reversible and replaceable curved metal tips
- Staggered rows of tines are adjustable
- Great tool for small row crops





RST SERIES S-TINE CULTIVATORS

- Available in 4', 5', 6', 7', 8' and 10'
- Ideal for pastures, orchards, vineyards and general fieldwork
- Designed for tractors 15-70 HP

3-IN-1 SOIL CONDITIONER

- 3 soil conditioning tools in 1 machine
- Heavy-duty 20" high clearance S-tines
- 7" sweeps standard optional 1-3/8" reversible
- Spring loaded, 12" diameter rolling crumblers with serrated bars angled to finish mulching the soil





DISC HARROWS





DISC HARROWS

- Available in 5′, 6′, and 7′
- HP 18-55
- Weight: 407 lbs to 804 lbs
- 7.5" disc spacing

DH SERIES 3-PT DISC HARROWS

- Available in 5', 6', 7' and 8'
- 3" square frame tube
- 3/8" thick bearing hangers with reinforcement
- Self-aligning sealed bearings
- 18" notched or smooth disc blades
- Powder coat tractor matching colors
- HP 30-40
- Weight: 735 lbs to 900 lbs
- No. of Blades: 16, 20, or 24
- · Hitch: Cat. I

Disc Harrow available in:

5' Medium-Duty Tandem 6' Medium-Duty Tandem 7' Medium-Duty Tandem 8" Medium-Duty Tandem





DRAG HARROWS



VARIABLE ACTION CHAIN LINK DRAG HARROW

- Easy to use and handle
- No lubrication or adjustments required
- Use behind ATV, lawn tractor, pickup, tractor or farm implements
- Heavy-duty universal draw-bar
- 76" wide x 96" long
- Weight: 230 lbs



SINGLE TINE CHAIN HARROW

- Ideal for spreading manure, preparing seed beds, covering seed beds, and more
- 72" wide x 90" long
- Heavy-duty universal draw-bar
- Power required to pull: 12 HP
- · Weight: 177 lbs



FLAIL MOWERS

TA/K SERIES

• Offset in-line mulcher for grass, produce residue, and bushes

 Ideal for clearing green areas, gardens, slopes, ditches, riverbanks, road side banks.

• Can prune up to .75" thick diameter

• Working width: 57"

• Extended Reach: 12" offset

• 25 to 45 HP

• Hammers: 40

• 704 lbs



BERTI

TA/S SERIES

• 3-PT linkage with floating system and safety lock

· Fully automatic belt adjuster

• Working width: 59" - 83"

• Fxtended Reach: 12" offset

• 60 to 100 HP

• Hammers: 16-20

• 1,463 - 1,765 lbs



SKID STEER MOUNT - AF/SSL

- Hydraulic mulcher for grass, bushes, & brush
- Floating self-leveling universal hitch
- Height adjustable leveling roller.
- Working width: 57" 79"
- Can cut up to 2.75" thick diameter
- 50 to 90 HP

• Hammers: 14, 16, or 18

• 1,500 - 1,786 lbs





FM FLAIL MOWERS

• Working Width: 39" - 87"

· Hydraulic side shift - standard

Rear roller

• Side depth skids

• Rotor speed 2083 RPM

• Rotor diameter 6.25"

Powder coated

• Cat: I/II

• Full right side shift: 12"

• Min-Max engine HP: 30-60 HP

• Weight: 660-1,113 lbs







FLAIL MOWER

• Available In 64"-88"

• Designed for cutting grass, branches, and stalks

• Choice of knives for different kinds of work

• Side transmission with two belts

• Supplied with rear shield & safety guards

• Hammers: 24-36

FORESTRY & MULCHERS





150 CHIPPER

- Capable of chopping branches up to 6" in diameter
- Chipper utilizes a side-to-side rotor and two adjustable blades
- Hopper measures 30" x 20" and is foldable for transport
- Constructed entirely from high-quality steel



MULCHERS

- Light weight, fixed-tooth brush mulcher
- Cuts heavy vegetation and light brush using high speed teeth
- Concave shaped carbide tip aggressively mulches
- Teeth rotate easily providing an always sharp edge

MP360 FIXED TOOTH MULCHER



MS348 FIXED TOOTH MULCHER FOR SKID STEER



• Skid Steer mounted and forward facing for enhanced comfort and ease of use.

LOG GRAPPLES

Fransgård



HZ-1500 LOG GRAPPLE

- Grapple/tong for moving timber
- Wide opening makes it easy to grip the logs
- Opening width 47"
- Handles logs up to 60"
- For 20-50 HP tractors

HZ-2300 LOG GRAPPLE

- Grapple/tong for moving timber
- Wide opening makes it easy to grip the logs
- Opening width to 90"
- For 50-100 HP tractors





MOLDBOARD PLOWS





STANDARD DUTY ONE BOTTOM MOLDBOARD PLOW

• One Moldboard

• Tractor HP: 25-50

• Item Weight: 256 lbs

• Hitch Cat I

• Dimensions: 14"W x 21"L x 16"H



STANDARD DUTY TWO BOTTOM MOLDBOARD PLOW

• Two Moldboards

• Tractor HP: 25-50

• Item Weight: 479 lbs

• Hitch Cat I

• Dimensions: 14"W x 21"L x 16"H

PLANTERS & SEED DRILLS



G3 NO-TILL DRILL

• Working width: 38"

• Working depth: .05 - 2"

• 5 cutting elements

• 5.1 bushel seed hopper capacity

• Maximum capacity: 2.8 acres per hour

• Towable behind 800cc+ UTVs

ATV pull-type kit available





G5 NO-TILL DRILL

• Working width: 60"

• Working depth: .05 - 2.5"

• 8 cutting elements

• 8.9 bushel seed hopper capacity

• Maximum capacity: 4.5 acres per hour

G8 NO-TILL DRILL

• Working width: 90"

• Working depth: .05 - 2.5"

• 13 cutting elements

• 12.6 bushel seed hopper capacity

• Maximum capacity: 7 acres per hour







PLOTTER'S CHOICE

- · Offers two styles of seeding
- · Row-crop drilling for corn or soybeans
- Solid-stand planting for grasses
- Rolling ground-engaging components
- Consistently cuts through most no-till applications
- Models for use with ATV/UTVs are available



VERSA-DRILL NO-TILL DRILL

- Perfect fit for compact tractors and ATVs
- No-till drill design allows it to consistently follow contours of uneven terrain
- Offers a row of slicing blades followed by a row of opening coulters
- Seed placement device guarantees exact seed positioning within 9" rows
- ATV/UTV pull-type kit available



ECO-DRILL NO-TILL DRILL

- Straight coulters slice the ground, leaving a narrow seed trench with minimal soil disruption
- Concave opener blades provide precision seed placement
- Heavy-duty cultipacker wheels run behind the openers, providing excellent seed-to-soil contact

ROTARY CUTTERS



ROTARY CUTTER

- 3-PT quick hitch compatible
- Floating top link
- Front and rear chain guards
- Stump jumper
- 540 RPM PTO with slip clutch
- 1/8" Deck thickness (approx. 11-gauge)
- Side skids
- Rear tire
- Reversible steel blades
- 7' Model has double tail wheel





ROTARY CUTTER

- 5' and 6' standard duty
- Designed for cutting rough plant material, thick grass and saplings
- Use it to create trails, mow fields and clear for wildlife
- Heat-treated 2" blades easily handle branches



EXTREME DUTY BRUSH CUTTER

- 78" Brush Cutter Skid Steer attachment
- 10" cut capacity
- Radial Piston Motor (4 pkgs up to 40GPM)
- Heavy duty 1" cutting bar; 4 cutting blades
- Top speed of 20,000 ft/min
- 1/4" deck thickness
- Replaceable skid shoes
- Reversible push bar (trees/brush/grass)
- Approximate weight: 2,200 lbs
- Machine width: 86.5"









PULSAR ROTARY CUTTER

- PTO powered
- HP: 20-50
- 3-PH mount
- Cutting width: 48" 72"
- Cutting height: 2" 10"

PULSAR-TRAIL/UTV MOWER

- 12 Volt electric start
- 2 Rotors with 3 blades each
- Cutting width: 44"
- Cutting height: 2" 7"

PULSAR - SKID STEER (HYDRAULIC)

- Maximum brush diameter 2"
- 3 blade cutting assembly
- Integrated push bar
- Relief valve for protection
- Chain curtain

SOIL PREPARATION



KULTIPACKERS

- Available in 6' or 8'
- 3-PT hitch mounted
- Heavy-duty cast iron press wheels
- Make quick work of even the roughest terrain





FLIP-OVER CULTIPACKER

- Flip-over design allows for easy transportation
- Minimum 18 HP required
- 50" operating width
- 4" x 12" pneumatic tires
- 22 cast iron culti-packer wheels



TILLERS



UL SERIES TILLERS 15 - 40 HP

- Gear driven side transmission
- Adjustable lower hitch brackets
- Powder coated
- Adjustable side depth skids
- 3-PT hitch Cat. I quick hitch compatible

UH SERIES TILLERS 50 - 85 HP

- Gear driven side transmission
- Series 6 PTO with slip clutch
- Adjustable lower hitch brackets
- Multi speed gearbox
- Powder coated
- Adjustable side depth skids
- 3-PT hitch Cat. I/II



UHH SERIES TILLERS 90-150 HP

- Gear driven side transmission
- Adjustable lower hitch brackets
- Multi speed gearbox
- Powder coated
- Adjustable side depth skids
- 3-PT hitch Cat. II/III





ROTARY TILLERS

- Available in 4', 5', and 6'
- Tractor HP 15-50
- Weight: 470 lbs, 638 lbs, and 718 lbs



RBS-2 SIDE SHIFT TILLER

- Suitable for use in difficult, low clearance conditions
- 3-PT hitch system
- Single-speed gearbox
- · Choice of blades



- Built to be used under very tough conditions.
- Only available with a 4 speed gearbox
- 6 blades per flange
- Angular (L) or speed (C) blades available







LASER-2 TILLER

- Designed for tractors up to 35 HP
- Offers versatility, simplicity, and economy
- Ideal for small landscape and yard maintenance
- 4 blades per flange
- Single speed gearbox

TREE & POST PULLERS



INTIMIDATOR

- Replaceable excavator bucket teeth and vertical jaw saw teeth
- · Uniquely synchronized jaws
- Fully-protected 3" diameter cylinder allows for excavation without fear of cylinder damage
- Tapered jaws allows maximized pulling force on larger trees







SKID STEER TREE PULLER ATTACHMENT


- Pulls trees up to 8" diameter
- Maximum jaw opening 12"
- Jaw thickness designed to grab trees and reduce shearing

EDNEY DISTRIBUTING WEBSITE

E-COMMERCE FUNCTIONS FOR DEALERS:

- · Online ordering
- · Order tracking
- · Access purchase history
- View invoices and statements
- Create order templates
- SuperUser feature as admin
 - Create users for your dealership location
 - Assign permissions
 - Assign levels of access to your team





SHIPPING TERMS OF SALE

Unless otherwise specified, prices are published as "Free on Board (F.O.B.) Factory." This means that the buyer takes title at the time the items are acknowledged by the freight company, pays transportation costs from factory to dealership, and files claims (if any). Applicable back freight will be an additional cost, you can find the back freight rates on our website, in the Dealer Resources section. Prices specified "F.O.B. Warehouse" are not subject to back freight charges. Please note that prices and discounts are subject to change with or without notice.

MINIMUM ORDERS

Minimum billing for an order is \$10.00 (ten dollars). Orders that total less than \$20.00 (twenty dollars) are not eligible for any type of dealer discounts.

TERMS

Generally, our terms are classified as straight open account. Eligibility and credit will be determined through our application process and evaluated from time to time. Dealers who participate in Edney's seasonal early-order programs will be eligible for extended dating. It is expected that these items will be sold "in-trust." In other words, the dealer will pay Edney out of their sale proceeds when the item is retailed or by the end of the agreed upon term, whichever is sooner. Accounts that are not kept in good standing may be assigned to C.O.D. status. Dealers with C.O.D. account status carrying a "zero" account balance may be eligible to receive cash discounts. However, dealers with C.O.D. accounts carrying a "past due" account balance will not be eligible for cash discounts. Dealers assigned to C.O.D. status will be required to prepay for orders via cashier check, credit card, or wire. Orders will not be released until payment has been received by Edney Distributing.

WILL CALL ORDERS

When ordering, dealers may opt to pick up their items at one of our warehouses instead of arranging for shipment. If the items are back ordered, you will be notified when your order is available and can arrange for a pick-up, or you may opt to ship the items at that time. Will call orders not picked up by the dealer within 30 days of notification may be cancelled by Edney Distributing and/or resold to a different dealer. Edney Distributing Company attempts to maintain adequate stocks to cover all of our pending will call orders; however, it is impossible to fill such orders without a specific pick-up date.

BACK ORDERS

When back ordered merchandise is received by Edney Distributing, an Edney dealer support person will contact you. Back orders will be filled as soon as the merchandise is received by Edney Distributing based on your preference for a full or partial shipment, unless we receive other instruction or a written order cancellation.

The full trade policy document is available upon request.

Please, contact sales@edneyco.com or 888-443-3639 to have it emailed, faxed, or mailed by our dealer support team.







-	

SCAN HERE TO **ORDER MORE GUIDES**













INTEGRITY | SERVICE EXCELLENCE | TEAMWORK | CONNECTION | INNOVATION









