



PYTHON

"Good enough won't do - it must be right." - K.B. Danuser, Founder 1910

TAKE THE BITE OUT OF ROLLING UP FENCE WIRE

WIRE WINDER

The Python Wire Winder uses an auger system to effortlessly roll up fence wire, making it more manageable for handling and transportation.

- Can roll up to 3/4 mile of barbed wire (12.5 gauge) or six miles of smooth wire (14 gauge)
- 2" hex connection mounts to existing hydraulic auger drive (not for PTO use)
- Two (2) tie wire locations
- Ten (10) slot locations to start wire
- Tool-less operation
- Convenient retention pin holder locations
- Roll multiple wires at one time







WIRE UNROLLER


The Python Wire Unroller easily unrolls new and Python-rolled spools of wire for faster fencing.

- Unrolls barbed or smooth wire
- Connects to a 2" receiver hitch
- Optimal clearance for open tailgates providing easy access to cargo area
- Built-in wire tensioner cleats for stretching and holding wire for desired tightness
- Controlled spinning to prevent backlash
- Angled design of hitch connection gives the Python Wire Unroller an additional 9.50" of ground clearance for work in uneven terrain



Wire Unroller
Shown in
New Wire Setup





A HISTORY OF INNOVATION

Established in 1910, Danuser is a 4th generation, family owned and operated company. With decades of design and manufacturing experience, we build our products with reliability that they will last for generations. From our renowned auger system released in the mid-1940s to the more current designs, our commitment to our customers remains the same - to design and build products that are the benchmark of quality, reliability, and longevity.

In the words of our founder K.B. Danuser, "Good enough won't do - it must be right."

Danuser manufactures industrial and agricultural attachments for various applications, serving many industries worldwide. Please visit www.danuser.com to see our full line of attachments.



500 E 3rd St. • P.O. Box 368
Fulton, MO 65251

(573) 642-2246 • sales@danuser.com

www.danuser.com

