

GRYB

AG & LIGHT INDUSTRIAL

# AG & LIGHT INDUSTRIAL INDUSTRIAL IMPLEMENTS

GRYB SHEAREX e-Trak



# GRYB'S AG & LIGHT INDUSTRIAL

GRYB Ag & Light Industrial offers versatile and durable solutions for agricultural and light industrial needs.

Our specialized tools, like buckets, disk harrows, and snowblowers, help compact machinery operators perform tasks with precision and ease.

## COMPACT TRACTOR

6	<b>3-pt Standard Duty Snowblower</b>	GRYB
6	<b>Standard Front Snowblower</b>	GRYB
6	<b>Large Commercial 3-pt Snowblower</b>	GRYB
7	<b>Residential Inverted Snowblower</b> SBG1054I - SBG1064I - SBG1074I	GRYB
7	<b>Commercial Inverted Snowblower</b> SBG2080I - SBG2092I	GRYB
8	<b>Front Loader Snowblower</b>	GRYB
8	<b>Front Mount Hydraulic Snowblower</b> SBG1064H & SBG1076H	GRYB
8	<b>Front Mount Hydraulic Snowblower</b> SBG2076HH & SBG2084HH	GRYB
9	<b>3-pt Commercial Snowblower</b>	GRYB
9	<b>Rotary Broom</b>	GRYB
9	<b>Commercial Rotary Broom</b>	GRYB
10	<b>Small Debris Blower</b>	GRYB
10	<b>Large Debris Blower</b>	GRYB
10	<b>3-pt Disk Harrow</b>	GRYB
11	<b>HD Front Blade</b>	GRYB
11	<b>Hydraulic Post Hole Digger</b>	GRYB
38	<b>Compact Tractor Product Options</b>	

# COMPACT EXCAVATOR

14	<b>Wedge Quick Coupler</b>	GRYB
14	<b>Deere/Hitachi Wedge Quick Coupler</b>	GRYB
14	<b>Pin Grabber</b>	GRYB
14	<b>Female Blank Lugs</b>	GRYB
15	<b>GTR Tiltrotator</b>	GRYB
15	<b>Ditching Bucket</b>	GRYB
15	<b>Heavy Duty Bucket</b>	GRYB
16	<b>Trapezoidal Bucket</b>	GRYB
16	<b>Hydraulic Tilt Ditching Bucket</b>	GRYB
16	<b>Skeleton Bucket</b>	GRYB
17	<b>4-in-1 Bucket</b>	GRYB
17	<b>Hydraulic Thumb on Stick Axle</b>	GRYB
17	<b>Universal Hydraulic Thumb</b>	GRYB
18	<b>Root Rake</b>	GRYB
18	<b>Ripper</b>	GRYB
18	<b>Deere/Hitachi Reversible Bucket</b>	GRYB
19	<b>Excavator Mulcher</b> VM Series	SHEAREX
19	<b>Light Duty Excavator Mulcher</b> VL Series	SHEAREX
19	<b>Stump Grinder</b>	SHEAREX
20	<b>Wood Cone Splitter</b>	SHEAREX
20	<b>Limit-Pro</b> Range Limiting Device	E-TRAK
20	<b>Guide-Pro</b> 2D Digging System	E-TRAK
42	<b>Compact Excavator Product Options</b>	

# WHEEL LOADER

24	<b>Hydraulic Quick Coupler</b>	GRYB
24	<b>Light Material Bucket</b>	GRYB
24	<b>Woodchip Bucket</b>	GRYB
25	<b>General Purpose Bucket</b>	GRYB
25	<b>Side Dump Bucket</b>	GRYB
25	<b>High Dump Bucket</b>	GRYB
26	<b>4-in-1 Bucket</b>	GRYB
26	<b>Skeleton Bucket</b>	GRYB
26	<b>Grapple Bucket</b>	GRYB
27	<b>Extreme Duty Rock Bucket</b>	GRYB
27	<b>Jib Boom</b>	GRYB
27	<b>Fork</b>	GRYB
28	<b>Directional Blade</b>	GRYB
28	<b>Reversible Snow Pusher</b>	GRYB
28	<b>Blue Gryb Rotating Icebreaker</b>	GRYB
29	<b>Spreader Bucket</b>	GRYB
29	<b>Scale-Pro</b> Scale for Wheel Loader	E-TRAK
41	<b>Wheel Loader Product Options</b>	

# CTL/SSL

32	<b>Bite Limiter Mulcher</b>	SHEAREX
32	<b>Dum Mulcher</b>	SHEAREX
32	<b>Brush Grapple</b>	SHEAREX
34	<b>Stump Grinder</b>	SHEAREX
34	<b>Wood Cone Splitter</b>	SHEAREX
34	<b>Hydraulic Post Hole Digger</b>	GRYB
35	<b>Hydraulic Snowblower</b>	GRYB
42	<b>CTL/SSL Product Options</b>	



# COMPACT TRACTOR IMPLEMENTS

**3-PT STANDARD DUTY SNOWBLOWER**

6



**STANDARD FRONT SNOWBLOWER**

6



**LARGE COMMERCIAL 3-PT SNOWBLOWER**

6



**RESIDENTIAL INVERTED SNOWBLOWER**

7

SBG1054L - SBG1064L - SBG1074L



**COMMERCIAL INVERTED SNOWBLOWER**

7

SBG2080L - SBG2092L



**FRONT LOADER SNOWBLOWER**

8



**FRONT MOUNT HYDRAULIC SNOWBLOWER**

8

SBG1064H & SBG1076H



**FRONT MOUNT HYDRAULIC SNOWBLOWER**

8

SBG2076HH & SBG2084HH



**3-PT COMMERCIAL SNOWBLOWER**

9



**ROTARY BROOM**

9



**COMMERCIAL ROTARY BROOM**

9



**SMALL DEBRIS BLOWER**

10



**LARGE DEBRIS BLOWER**

10



**3-PT DISK HARROW**

10



**HD FRONT BLADE**

11



**HYDRAULIC POST HOLE DIGGER**

11





## 3-PT STANDARD DUTY SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	48, 54, 64, 74, 84 or 94 inches
<b>Auger</b>	Single
<b>Compatibility</b>	Standard 3-pt hitch and ASABE quick hitch

A 2-part manual chute, allowing precise control of snow projection.

Adjustable deflector.

Adjustable skid shoes.



## STANDARD FRONT SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	54 inches
<b>Auger</b>	LH and RH single auger with shearbolt
<b>Compatibility</b>	Front mount 4-pt hitch

2-part chute.

Includes female hitch.

Hydraulic chute rotation and electric chute deflector.

Half driveline.

Series 1 & 2.



## LARGE COMMERCIAL 3-PT SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	88, 92, 98 or 102 inches
<b>Auger</b>	Single
<b>Chute rotation</b>	Standard 3-pt hitch category 1 and 2 Also compatible with ASABE Quick hitch category 1 and 2

2-part or 3-part chute available.

Rotating drum-equipped models available.

Includes tool-free adjustable skid shoes that can be tailored to different ground types.

Replaceable cutting edge.



# RESIDENTIAL INVERTED SNOWBLOWER

## SBG1054L - SBG1064L - SBG1074L

<b>Manufacturer</b>	GRYB
<b>Width</b>	54, 64, 74 inches
<b>Auger</b>	Single
<b>Compatibility</b>	Standard 3-pt hitch and ASABE quick hitch

Manual or hydraulic chute rotation.	Adjustable deflector.
A 2-part manual chute, allowing precise control of snow projection.	Adjustable skid shoes.



# COMMERCIAL INVERTED SNOWBLOWER

## SBG2080L - SBG2092L

<b>Manufacturer</b>	GRYB
<b>Width</b>	80 or 92 inches
<b>Auger</b>	Single
<b>Compatibility</b>	Adjustable Cat. 1 or 2 3-pt mount (quick hitch)

Hydraulic chute rotation	3 part chute adjustment with hydraulic deflector
Adjustable rear blade	Hoses support
Replacable et reversible cutting edge	Drum skid shoes

COMPACT TRACTOR

COMPACT EXCAVATOR

WHEEL LOADER

CTL/SSL



## FRONT LOADER SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	64 or 76 inches
<b>Auger</b>	Single

Two part chute with hydraulic motor rotation.

Integrated oil cooler.

24" diameter 4-blade fan.

26" cutting height.

Reversible cutting edge.

Adjustable skid shoes in up to 6 positions, and replaceable.

Manual deflector.



## FRONT MOUNT HYDRAULIC SNOWBLOWER SBG1064H & SBG1076H

<b>Manufacturer</b>	GRYB
<b>Width</b>	64 or 76 inches
<b>Auger</b>	Single

Hydraulic motor for chute rotation.

Manual chute deflector adjustment.

Replaceable cutting edge.

Adjustable skid shoes.

Hydraulic motor powered fan drive & auger drive.

V.A.C. hydraulic drive system.



## FRONT MOUNT HYDRAULIC SNOWBLOWER SBG2076HH & SBG2084HH

<b>Manufacturer</b>	GRYB
<b>Width</b>	76 or 84 inches
<b>Auger</b>	Single

3 part chute with hydraulic deflector.

Replaceable and reversible cutting edge.

Replaceable and adjustable skid shoes.

Hydraulic motor powered auger drive.

Universal skid steer mount.



## 3-PT COMMERCIAL SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	74 or 80 inches
<b>Auger</b>	Single
<b>Compatibility</b>	Standart 3-pt hitch cat. 1 and 2 Also compatible with ASABE Quick hitch cat. 1 and 2

3-part chute.

Hydraulic motor chute rotation.

Includes tool-free adjustable skid shoes that can be tailored to different ground types.

Replaceable cutting edge.



## ROTARY BROOM

<b>Manufacturer</b>	GRYB
<b>Width</b>	60 inches
<b>Wafer brush diameter</b>	24 inches

Included female hitch, broom half of driveline.



## COMMERCIAL ROTARY BROOM

<b>Manufacturer</b>	GRYB
<b>Width</b>	60 to 84 inches
<b>Wafer brush diameter</b>	32 inches

Hydraulic angling degree range.

Parking stands.

Included female hitch, broom half of driveline.

Hydraulic angling with one cylinder and electric selector valve.

Includes one 375 cc/rev hydraulic motor.

Complete with hardware, wiring harness.

Spring suspension.



## SMALL DEBRIS BLOWER

<b>Manufacturer</b>	GRYB
<b>Air flow</b>	3,500 ft <sup>3</sup> per minute
<b>Fan</b>	20 inches diameter - 12 blades
<b>Compatilty</b>	4-pt hitch

Female hitch, half of driveline.

12" diameter pneumatic gauge wheels.

Hydraulic discharge rotation.

Equipped with three pneumatic wheels.



## LARGE DEBRIS BLOWER

<b>Manufacturer</b>	GRYB
<b>Air flow</b>	6,000 ft <sup>3</sup> per minute
<b>Fan</b>	29.5 inches diameter - 12 blades
<b>Compatilty</b>	Standard 3-pt hitch category 1 and 2 Also compatible with ASABE Quick hitch category 1 and 2

25 hp min.

Parking stands.

Bi-directional discharge (left or right with manual deflector).

Complete with hardware.

12" diameter pneumatic gauge wheels.

Driveline series 40.



## 3-PT DISK HARROW

<b>Manufacturer</b>	GRYB
<b>Width</b>	75 to 95 inches
<b>Disks</b>	Notched or smooth
<b>Disks quantity</b>	16 or 20
<b>Compatilty</b>	Compatible with Category 1 3-point hitches and the ASABE Quick Hitch system

Disk blades for a variety of conditions.

Tool free gang angle adjustment.

Scraper kit to remove soil buildup.

Furrow filler kit.



## HD FRONT BLADE

<b>Manufacturer</b>	GRYB
<b>Width</b>	60 inches
<b>Compatibility</b>	Front mount 4-pt hitch

Includes female hitch.

Trip spring lockout.

HD double bevel cutting edge and HD replaceable skid shoes.

Hydraulic angling.

Cross-over relief valve.

Hoses, quick couplers.



## HYDRAULIC POST HOLE DIGGER

<b>Manufacturer</b>	GRYB
<b>Weight</b>	250 lbs
<b>Auger drive</b>	Hydraulic, encapsulated inside gearbox

250cc hydraulic motor.

Hydraulic, encapsulated inside gearbox auger drive with oil.

Base hitch.

8 feet of 3/8" hoses.

1/2" ISO5675 Male/Female Quick Coupler.

Optional hex head double augers (6x36, 9x36, 12x36 inches).



# COMPACT EXCAVATOR IMPLEMENTS

**WEDGE QUICK COUPLER**  
14



**DEERE/HITACHI WEDGE QUICK COUPLER**  
14



**PIN GRABBER**  
14



**FEMALE BLANK LUGS**  
14



**GTR TILTROTATOR**  
15



**DITCHING BUCKET**  
15



**HEAVY DUTY BUCKET**  
15



**TRAPEZOIDAL BUCKET**  
16



**HYDRAULIC TILT DITCHING BUCKET**  
16



**SKELETON BUCKET**  
16



**4-IN-1 BUCKET**  
17



**HYDRAULIC STICK PIVOT THUMB**  
17



**UNIVERSAL HYDRAULIC THUMB**  
17



**ROOT RAKE**  
18



**RIPPER**  
18



**DEERE/HITACHI REVERSIBLE BUCKET**  
18



**EXCAVATOR MULCHER VM SERIES**  
19



**STUMP GRINDER**  
19



**WOOD CONE SPLITTER**  
19



**LIMIT-PRO RANGE LIMITING DEVICE**  
20



**GUIDE-PRO 2D DIGGING SYSTEM**  
20





## WEDGE QUICK COUPLER

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Type</b>	Mechanical or hydraulic

Design that offers the best digging force of all types of quick couplers.

Keeps the original rotations of the excavator.

Simplified hydraulics.

Double action cylinder with safety valve.

Easily transferable from manual to hydraulic.

Simplified hydraulic system that plugs directly into the cylinder to avoid several unnecessary components.



## DEERE/HITACHI WEDGE QUICK COUPLER

<b>Manufacturer</b>	GRYB
<b>Machine model</b>	17G to 60G machine model.
<b>Type</b>	Mechanical or hydraulic

Patented lugs on our buckets for John Deere compact excavators.



## PIN GRABBER

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 10 tons
<b>Type</b>	Mechanical or hydraulic

Dual safety system.

Compatible with multiple types of attachments.

Maximizes the efficiency of your attachments.



## FEMALE BLANK LUGS

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Available for</b>	Buckets, rippers, bucket relug, hammer/compactor

Compatible with all types of wedge or pin-on attachments.

With or without excess under the quick coupler.

Available in standard or reversible configurations to fit your needs.



## GTR TILTROTATOR

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Weight</b>	216 to 518 lbs
<b>Capacity</b>	0.08 to 0.75 yd <sup>3</sup>

Get up to 15% savings on fuel.

Improve your productivity by up to 40%.

Greased-filled gear housing for improved performance and decreased maintenance.

Multiple attachments available.

Optional grip module.



## DITCHING BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Width</b>	12 to 96 inches
<b>Capacity</b>	0.08 to 0.75 yd <sup>3</sup>

Filling and dumping at an optimized angle.

Maintenance time reduced.



## HEAVY DUTY BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Width</b>	12 to 36 inches
<b>Capacity</b>	0.04 to 0.54 yd <sup>3</sup>

Made to handle various small materials in the construction industry.

Optimized angle for filling and dumping.

Reversible attachment available.

Side cutter available bolted or welded.



## TRAPEZOIDAL BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 10 tons
<b>Width</b>	36 to 60 inches
<b>Capacity</b>	0.12 to 0.50 yd <sup>3</sup>

Filling and dumping at an optimized angle.

Maintenance time reduced.



## HYDRAULIC TILT DITCHING BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 10 tons
<b>Width</b>	36 to 60 inches
<b>Capacity</b>	0.18 to 0.70 yd <sup>3</sup>

Hydraulic cylinders with 45° tilt on each side.

Hardened chrome-plate axle with greaseable wearing rings.



## SKELETON BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 10 tons
<b>Width</b>	18 to 36 inches
<b>Capacity</b>	0.09 to 0.54 yd <sup>3</sup>

Ideal for recycling materials.

Two models available: general-purpose bucket and ditching bucket.

Spacing for the teeth opening from 1 to 24 inches.



## 4-IN-1 BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 30 tons
<b>Width</b>	24 to 30 inches
<b>Capacity</b>	0.20 to 0.38 yd <sup>3</sup>

Digs, levels, handles and sorts.

Combine use of a grapple, the strength of a standard thumb, and the functions of a digging and a ditching bucket.



## HYDRAULIC THUMB ON STICK AXLE

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Length</b>	20 to 36 inches
<b>Weight</b>	80 to 320 lbs

Choice of two profiled, two straight or four tines.

135° rotation.



## UNIVERSAL HYDRAULIC THUMB

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Length</b>	18 to 51 inches
<b>Weight</b>	55 to 240 lbs

130° rotation.

Cushion-shock absorbers are included.

Light and compact design.

Two possible length setups.



## ROOT RAKE

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Width</b>	36 or 48 inches
<b>Number of tines</b>	6

Choice of inter-fingers space.

Choose between multiple configurations.

Anti-trapping system included.



## RIPPER

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Length</b>	20 to 30 inches
<b>Teeth</b>	J200, J225, J250

Offers superior digging force.

Interchangeable bolt-on teeth.

Minimal maintenance is required.



## DEERE/HITACHI REVERSIBLE BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 6 tons
<b>Position</b>	Reverse or normal
<b>Type</b>	Mechanical or hydraulic

Patented reversible lugs.



## EXCAVATOR MULCHER VM SERIES

<b>Manufacturer</b>	Shearex
<b>Available models</b>	VM25SK - VM-35SK - VM-40SL
<b>Cutting width</b>	28 or 42 inches
<b>Number of blades</b>	9 to 14
<b>Weight</b>	1,100 to 1,668 lbs

Choose between carbide teeth or blades.

CONVEX DX™ Protection System.

Zero vibration rotor - G2.0 balancing standard.

Blade angle optimized for a perfect cut.

Poly-Chain® Carbon transmission belt.

Bolt-on liner and skid shoes made of Hardox® 500 for ultimate wear resistance. Easy maintenance and replacement.

Robust rotor design.

High torque variable and adjustable motor.

Innovative oil cooling system: Cools the oil when running idle, resulting in a temperature reduction of 30 to 50°C.

Customer kit in a robust shell tough box included with each purchase.



## LIGHT DUTY EXCAVATOR MULCHER VL SERIES

<b>Manufacturer</b>	Shearex
<b>Cutting width</b>	21.25, 21 or 40 inches
<b>Number of blades</b>	8, 12 or 16
<b>Weight</b>	430, 550 or 735 lbs

Ideal for occasional land clearing operations, invasive species removal and road maintenance.

Included customer kit.



## STUMP GRINDER

<b>Manufacturer</b>	Shearex
<b>Machine weight</b>	3 to 30 tons

Blade system interchangeable in less than 5 minutes.

Adapt your equipment to different applications and soft or hard wood.

Equipped with a high-performance, low-maintenance motor guaranteeing constant, reliable power every time.

Designed to minimize downtime and optimize your time in the field.

Our advanced technology and Hardox® 500 blades will ensure you meet the demands of the toughest jobs, while respecting the environment.

Rapid availability of wear and replacement parts.



## WOOD CONE SPLITTER

<b>Manufacturer</b>	Shearex
<b>Machine weight</b>	3 to 30 tons
<b>Torque</b>	10,500 lbs-ft

Impressive splitting power.

Replacable tip.

Easy to maintain.

Optimal stump grinder blade.

COMPACT TRACTOR

COMPACT EXCAVATOR



## LIMIT-PRO RANGE LIMITING DEVICE

<b>Manufacturer</b>	e-Trak
<b>Compatibility</b>	Excavator, Telehandler, Backhoe, Crane, Concrete pump, Boom-truck, Vacuum truck

Multi-machine compatibility.

Auto-slow for safety zones.

Boom height and cab rotation.

Intuitive and user-friendly.

Preventing potential accidents.

Can be combined with the Guide-Pro & IDC.

WHEEL LOADER



## GUIDE-PRO 2D DIGGING SYSTEM

<b>Manufacturer</b>	e-Trak
<b>Compatibility</b>	Excavator, Wheel excavator

Grade rod capability from inside the cab.

Digging accuracy of  $\pm 1/2$  in.

Laser receiver.

User friendly, easy to operate.

Engineered in Canada.

Combine with the range limiting system Limit-Pro in the same tablet.

Your machine becomes the rod man allowing for better workforce allocation.

CTL/SSL



**GRYB**  
REVERSIBLE

**GRYB**

**GRYB**

**DANGER**  
HYDRAULIC PRESSURE  
DO NOT TOUCH

**GRYB**  
REVERSIBLE



# WHEEL LOADER IMPLEMENTS

**HYDRAULIC  
QUICK  
COUPLER**

24



**LIGHT  
MATERIAL  
BUCKET**

24



**WOODCHIP  
BUCKET**

24



**GENERAL  
PURPOSE  
BUCKET**

25



**SIDE DUMP  
BUCKET**

25



**HIGH DUMP  
BUCKET**

25



**4-IN-1  
BUCKET**

26



**SKELETON  
BUCKET**

26



**GRAPPLE  
BUCKET**

26



**EXTREME  
DUTY ROCK  
BUCKET**

27



**JIB BOOM**

27




**FORK**

27



**DIRECTIONAL  
BLADE**

28



**REVERSIBLE  
SNOW PUSHER**

28



**BLUE GRYB  
ROTATING  
ICEBREAKER**

28



**SPREADER  
BUCKET**

29



**SCALE-PRO**

SCALE FOR  
WHEEL LOADERS

29





## HYDRAULIC QUICK COUPLER

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	14 tons loaders
<b>Also available</b>	Mechanical quick coupler, Skidsteer hydraulic quick coupler, Hydraulic side dump quick coupler, Fusion hydraulic quick coupler

Compatible with all female couplers and all loader models.

Designed for maximum visibility.

High-resistance hydraulic cylinders with all-around protection.

Product cut to size with outstanding precision.



## LIGHT MATERIAL BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	102 to 120 inches
<b>Capacity</b>	2.00 to 6.00 yd <sup>3</sup>

Increased loading capacity.

Protective lining for a quick hitch.

Interchangeable bolt-on blade included.

Bolt-on heels included.



## WOODCHIP BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	96 to 108 inches
<b>Capacity</b>	4.00 to 6.00 yd <sup>3</sup>

Oversized capacity for light materials like woodchip and mulch.

High-strength steel reinforcements under the bucket to reduce wear.



## GENERAL PURPOSE BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	82 to 102 inches
<b>Capacity</b>	1.00 to 3.00 yd <sup>3</sup>

Optimized opening angles.

High tensile steel wear parts.

Available in multiple widths and capacities.

Interchangeable bolt-on blades.



## SIDE DUMP BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	96 to 108 inches
<b>Capacity</b>	1.00 to 2.50 yd <sup>3</sup>

Dump angle up to 120°.

Bolt-on blade with recessed nut included.

High-capacity.

Shock absorber cushions.

HD hydraulic cylinder.

Left-hand or right-hand dump.



## HIGH DUMP BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	98 to 120 inches
<b>Capacity</b>	1.00 to 6.50 yd <sup>3</sup>

Damping pads.

Rubber pads on each sides acting as shock absorber.

Oversized rod for intensive work.

Optional bolted-on blade.

120° dumping angle.



## 4-IN-1 BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	All type of loaders
<b>Width</b>	24 to 48 inches
<b>Capacity</b>	0.50 to 1.40 yd <sup>3</sup>

Better precision and control.

Maximizes the efficiency of your attachment.

Improves safety on construction sites.

Increases machine productivity and versatility.



## SKELETON BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	For backhoes and wheel loaders
<b>Width</b>	98 or 102 inches
<b>Capacity</b>	1.75 to 2.50 yd <sup>3</sup>

Select the spacing for the openings of the teeth between 1 inch to 24 inches.

Ideal for sorting and recycling materials.

For backhoes and wheel loaders.

Size adjustable holes.

The distance between the plates can be adjusted as needed.



## GRAPPLE BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	108 or 120 inches
<b>Capacity</b>	2.00 to 3.00 yd <sup>3</sup>

Robust grapple design.

HD hydraulic cylinder.

Filling and dumping at an optimized angle.



## EXTREME DUTY ROCK BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	102 inches
<b>Capacity</b>	2.50 to 3.00 yd <sup>3</sup>

Spill guard protect the quick coupler.

Protection of the machine with rock kickers.

Multiple wear configurations available.

Vertical protectors prolong the life of the bucket.



## FIXED JIB BOOM

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Length</b>	4 to 8 feet
<b>Capacity</b>	2,000 to 25,000 lbs

Increases construction site security.

Cylinder protected 100%.

An optimized design offering visibility and safety compared with lift attachments.

Extendible stick for difficult-to-reach areas.

Growing demand for the products following new government approval standards (CSST, Unions, etc.).



## FORK

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	48 to 96 inches
<b>Capacity</b>	5,500 to 28,200 lbs

Available in mechanical and hydraulic configurations.

Custom made mast to fit your exact needs.

High visibility two stage mast.


Bearing supported or pin supported side shift.

16" side shift (8" per side).

Standard single acting lift cylinders - optional double acting.

Custom made back rest.

Mounted LED lights for optimal visibility.



## DIRECTIONAL BLADE

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	10 to 50
<b>Width</b>	8 to 16 feet
<b>Height</b>	36 or 44 inches

COMPACT TRACTOR



## REVERSIBLE SNOW PUSHER

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	10 to 50
<b>Width</b>	6 to 16 feet
<b>Height</b>	30 to 48 inches

COMPACT EXCAVATOR

Different choice of blades: Teflon, high-resistance steel or icebreaker.

Welded side panels (different lengths are available).

Bolted anti-wear plates.

WHEEL LOADER



## BLUE GRYB ROTATING ICEBREAKER

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	10+
<b>Roller width</b>	41 to 103 inches
<b>Number of rollers</b>	6 to 15

Crushes ice up to two inches thick.

Interchangeable bolt-on teeth by section.

With rubber shock absorbers.

Unique angled helix design, using a 7-tooth serrated roller installed every half inch

Three times faster than standard icebreaking operation, even at low temperatures.

Green solution with a reduction of abrasive and melting material use.

CTL/SSL



## SPREADER BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	10+
<b>Width</b>	102 inches
<b>Capacity</b>	3.5 yd <sup>3</sup>

Two independent augers.

Spreading control is done in the cab.



## SCALE-PRO SCALE FOR WHEEL LOADERS

<b>Manufacturer</b>	e-Trak
<b>Compatibility</b>	All wheel loaders

Save up to 20% on loading time.

<1% margin of error.

New and improved rugged tablet.

Customer installation kit available.





**DANGER** STAND CLEAR 300'

**SHEAREX**  
HD-605EX

# CTL/SSL

## IMPLEMENTS

**BITE LIMITER  
MULCHER**

HM SERIES  
32



**DRUM  
MULCHER**

HD SERIES  
32



**BRUSH  
GRAPPLE**

32



**STUMP  
GRINDER**

34



**WOOD CONE  
SPLITTER**

34



**HYDRAULIC  
POST HOLE  
DIGGER**

34



**HYDRAULIC  
SNOWBLOWER**

35





## BITE LIMITER MULCHER HM SERIES

<b>Manufacturer</b>	Shearex
<b>Cutting width</b>	59 or 75 inches
<b>Number of blades</b>	21 to 27
<b>Compatibility</b>	Skid steer loaders and front mount carriers

Choose between carbide teeth or blade.

Customer kit in a robust Dewalt shell tough box included with every purchase.

Optional hydraulic push-bar.

Innovative oil cooling system: Cools the oil when running idle, resulting in a temperature reduction of 30 to 50°C.



## DRUM MULCHER HD SERIES

<b>Manufacturer</b>	Shearex
<b>Cutting width</b>	59 inches
<b>Number of hammers</b>	34
<b>Compatibility</b>	Front mount mulchers, skidsteer, wheel loader tractor, dedicated carrier, bulldozer

Poly-Chain® Carbon transmission belt.

Liner and skid shoes made of Hardox® for ultimate wear resistance.

Fastest Rotor Recovery with closer center of gravity for better handling.

Unique hose guard to avoid getting tangled in branches paired with heavy duty spirale hydraulic hose protectors.

Innovative oil cooling system: Cools the oil when running idle, resulting in a temperature reduction of 30 to 50°C.



## BRUSH GRAPPLE

<b>Manufacturer</b>	Shearex
<b>Width</b>	60 to 83 inches
<b>Number of tines</b>	6 to 9 tines
<b>Compatibility</b>	Skid steer only

Universal Skid Steer attachment.

Cylinder protector.

Double grapple, 3,000 psi cylinder.

Hydraulic hose guard.



SPEED

A DANGER STAND CLEAR 300

SHEARAR



## STUMP GRINDER

<b>Manufacturer</b>	Shearex
<b>Machine weight</b>	3 to 30 tons

Blade system interchangeable in less than 5 minutes.

Adapt your equipment to different applications and soft or hard wood.

Equipped with a high-performance, low-maintenance motor guaranteeing constant, reliable power every time.

Designed to minimize downtime and optimize your time in the field.

Our advanced technology and Hardox® 500 blades will ensure you meet the demands of the toughest jobs, while respecting the environment.

Rapid availability of wear and replacement parts.



## WOOD CONE SPLITTER

<b>Manufacturer</b>	Shearex
<b>Machine weight</b>	3 to 30 tons
<b>Torque</b>	10,500 lbs-ft

Impressive splitting power.

Replacable tip.

Easy to maintain.

Optional stump grinder blade available.



## HYDRAULIC POST HOLE DIGGER

<b>Manufacturer</b>	GRYB
<b>Weight</b>	250 lbs
<b>Auger drive</b>	Hydraulic, encapsulated inside gearbox

250cc hydraulic motor.

8 feet of 3/8" hoses.

Hydraulic, encapsulated inside gearbox auger drive with oil.

1/2 " ISO5675 Male/Female Quick Coupler.

Base hitch.

Optional hex head double augers (6x36, 9x36, 12x36 inches).



# HYDRAULIC SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	64 to 84 inches
<b>Flow</b>	12 to 40 GPM

H64A & H76A models include a variable screw speed system to optimize performance.

H76H & H84H models with a capacity of 3,600 psi, 3-section chute with rotation and hydraulic deflector.





# PRODUCT OPTIONS

# COMPACT TRACTOR PRODUCT OPTIONS

## 3-PT STANDARD DUTY SNOWBLOWER

### Manual chute rotation kit

**Hydraulic cylinder kit for chute rotation**  
2"x 8" cylinder, bracket assembly, hoses and tips.

**Hydraulic motor kit for chute rotation**  
High torque hydraulic motor, flow restrictors, hoses and tips.

**Hydraulic cylinder kit for chute deflector**  
2"x 8" cylinder, bracket assembly, hoses and tips.

**Hydraulic cylinder kit for chute deflector**  
2"x5" cylinder, hoses and tips.

**Electric kit for chute deflector**  
Includes 5" or 8" actuator, hardware, switch and electric cable.

**Hard plastic skid shoes and cutting edge**  
Includes two Tivar skid shoes, one Tivar cutting edge and the mounting hardware. Boxed.

## STANDARD FRONT SNOWBLOWER

**4-pt front hitch**  
Includes hitch, lift cylinder, hoses and quick coupler.  
Series 1 and 2

**Mid PTO drive kit**  
For 4 point front hitch with PTO driven attachments.  
Includes driveline, mid drive shaft and tractor half of driveline.  
Series 1 and 2

## LARGE COMMERCIAL 3-PT SNOWBLOWER

**Cutting edge**  
CHT400 Steel, Tivar or Stainless Steel

**Second auger kit**  
14 diameter

**Serrated main auger**

**Hydraulic cylinder kit for chute deflector**  
2"x 8" cylinder, flow restrictor, hoses and tips.

**Two part chute**  
Includes manual deflector

**Three part chute**  
Includes 2"x 8" cylinder, hoses and tips.

**Drift cutters**

**3- pts arm for quick hitch**

**Reducer-inverter**  
1000/540

**Yoke**  
Quick disconnect Yoke series 08, 1-3/4", 20 splines

**Skid shoes**  
Stainless steel

**Driveline upgrade**  
80 or 90 series driveline

## RESIDENTIAL INVERTED SNOWBLOWER

SBG2080I - SBG2092I

**Manual or hydraulic chute rotation**

**Plastic cutting edge and skid shoes**

**Electric or hydraulic deflector adjustment  
(SBG1064I & SBG1074I)**

## COMMERCIAL INVERTED SNOWBLOWER

SBG2080I - SBG2092I

**Replaceable et reversible skid shoes**  
Tivar or hardened steel

## COMMERCIAL INVERTED SNOWBLOWER

### Cutting edge

CHT400 Steel, Tivar or Stainless Steel

### Second auger kit

14 diameter

### Serrated main auger

### Hydraulic cylinder kit for chute deflector

2" x 8" cylinder, flow restrictor, hoses and tips.

### Two part chute

Includes manual deflector

### Three part chute

Includes 2" x 8" cylinder, hoses and tips.

### Drift cutters

### 3-pts arm for quick hitch

### Reducer-inverter

1000/540

### Yoke

Quick disconnect Yoke series 08, 1-3/4", 20 splines

### Skid shoes

Stainless steel

### Driveline upgrade

80 or 90 series driveline

## FRONT LOADER SNOWBLOWER

### Electric selector valve

For hydraulic chute rotation. Complete with hydraulic selector valve, hardware and supports, hoses, electric wiring and switch. Instructions. Boxed.

### Electric selector valve

For hydraulic chute deflector. Complete with hydraulic selector valve, hardware and supports, hoses, electric wiring and switch. Instructions. Boxed. Requires 8155 or 8249.

### Hydraulic cylinder 2x6 or 2x8

### Universal skid steer mount

### Drift cutters kit

Obtain 5" extra width on SBG1064H and SBG1076H snowblower. Complete with hardware and instructions sheet. Boxed.

## FRONT MOUNT HYDRAULIC SNOWBLOWER

SBG1064H & SBG1076H

### Manual chute rotation kit

### Hydraulic cylinder kit for chute rotation

2" x 8" cylinder, bracket assembly, hoses and tips.

### Hydraulic motor kit for chute rotation

High torque hydraulic motor, flow restrictors, hoses and tips.

### Hydraulic cylinder kit for chute deflector

2" x 8" cylinder, bracket assembly, hoses and tips.

### Hydraulic cylinder kit for chute deflector

2" x 5" cylinder, hoses and tips.

### Electric kit for chute deflector

Includes 5" or 8" actuator, hardware, switch and electric cable.

### Hard plastic skid shoes and cutting edge

Includes two Tivar skid shoes, one Tivar cutting edge and the mounting hardware. Boxed.

## FRONT MOUNT HYDRAULIC SNOWBLOWER

SBG2076HH & SBG2084HH

### Drift cutter

## 3-PT COMMERCIAL SNOWBLOWER

### Three part chute

Includes 2" x 4" cylinder, hoses, and tips

### Cutting edge

CHT400 steel or stainless steel

### Skid shoes

CHT400 steel or stainless steel

### Transfer case

Reducer/inverter from 1000 to 555rpm.

### Driveline upgrade

60 series driveline.

### Drift cutters kit

Obtain 5" extra width. Complete with hardware and instructions sheet. Boxed.

## COMMERCIAL ROTARY BROOM

### Steel / rubber dust deflector

60", 72" or 84". Including hardware (required with spraying kits).

### 8" lawn dethatching wheels

Includes two pairs 8" diameter by 3.5" wide solid wheels mounting brackets and hardware. Instructions. Boxed.

### Lawn dethatching wheels support

Required for lawn dethatching wheels. Include support components, hardware, and installation instruction. Boxed.

## 3-PT DISK HARROW

### Disk scraper kit

Includes disk scrapers, supports for rigid bearing hangers and mounting hardware. Crated.

### Furrow filler kit

For 20" or 22" blades

## FRONT BLADE

### 60" rubber cutting edge

Including hardware.

## HYDRAULIC POST HOLE DIGGER

### Global carrier bracket kit

Includes mounting hardware.

### Skid steer bracket kit

Includes mounting hardware.

### 32" wafer brush replacement kit

Poly or 50/50 poly/wire for 60", 72" or 84" hydraulic broom

### Universal skid steer mount

### Rolling basket

Includes two rollers, spring loaded supports and mounting hardware. Crated.

### Quik-attach bracket kit

Include mounting hardware.

### Auger hex head double augers

6" x 36", 9" x 36" or 12" x 36"



# WHEEL LOADER PRODUCT OPTIONS

## HYDRAULIC QUICK COUPLER

### Also available

Mechanical quick coupler, Skidsteer hydraulic quick coupler, Hydraulic side dump quick coupler, Fusion hydraulic quick coupler

## FEMALE BLANK LUGS

In-house installation is available.

Pre-cut or with surplus .

## LIGHT MATERIAL BUCKET

Extendable kit is available.

## WOODCHIP BUCKET

Bolted and interchangeable blade.

## GENERAL PURPOSE BUCKET

Bolt-on blade.

Bolt-on heels.

Teeth.

Lifting hook.

## SIDE DUMP BUCKET

Optional bolt-on blade.

## HIGH DUMP BUCKET

Optional bolt-on and interchangeable blade.

## MULTI-PURPOSE BUCKET

Proposed combination with tilting quick-coupler.

Maximize the efficiency of your accessories by combining our 4-in-1 loader bucket and inclinable quick hitch together.

Gives you a 45-degree inclination on each side.

Available for all types of quick hitches.

## SKELETON BUCKET

These buckets are available with two optional grapple restraints.

Bolted and interchangeable blades are optional.

Interchangeable teeth are optional.

## GRAPPLE BUCKET

Bolt-on and interchangeable blade.

## EXTREME DUTY ROCK BUCKET

Optional heel shrouds.

Bolt-on on wear pads.

## FORK

Optional side tilt.

## DIRECTIONAL BLADE

Combine our snow scraper with an optional extension to maximize your snow-clearing operations.

## REVERSIBLE SNOW PUSHER

Optional top retraction.

Open or sealed pusher.

Trip system.

Different choice of blades: Teflon, high-resistance steel or icebreaker.

## BLUE GRYP ROTATING ICEBREAKER

Formats width available for sidewalks and parking lots.

# COMPACT EXCAVATOR PRODUCT OPTIONS

## DITCHING BUCKET

Bolted and interchangeable blades.

## HEAVY DUTY BUCKET

Standard or wide teeth available.

## TRAPEZOIDAL BUCKET

Interchangeable teeth.

## HYDRAULIC TILT DITCHING BUCKET

Bolted and interchangeable blades.

## SKELETON BUCKET

Bolted and interchangeable blades.

Interchangeable teeth.

## ROOT RAKE

Interchangeable teeth.

## AHJ REVERSIBLE BUCKET

OEM John Deere quick hitch.

## EXCAVATOR MULCHER

### Tilt system

The tilt system on our mulching heads for mini excavators allows for increased flexibility and superior visibility. Using the right technique, the tilt can also increase productivity by letting gravity do the majority of the work.

### Back grapple

Move and sort through smaller materials or pile them up for greater mulching control with Shearex's mini excavator mulcher head VM-35SK models.

### Different types of blade

Choose between our carbide tooth or blade, depending on your operations.

# CTL/SSL PRODUCT OPTIONS

## BITE LIMITER MULCHER

Mulcher carbide teeth.

Mulcher blades.

Hydraulic push-bar.

## DRUM MULCHER

Included pin-on mechanical pushbar.

Front door.

Bite limiter rotor.



SHEAR EX



**GRYB**

**AG & LIGHT INDUSTRIAL**

**AGANDLIGHT.COM**

---

**FOLLOW US**     