


PERFECT LINK

111 Magpie Ln. E.Fallowfield PA 19320 USA
Ph: 877-463-8259 Fx: 484-214-0223
www.mxag.com

METALX



MIXTM

SINGLE RIGID TINE Chain Link Drag Harrow

EAGLE-50 Tine Diameter 1/2"
FALCON-60 Tine Diameter 5/8"

FEATURES :

1. Hand Crafted In 1045 Carbon Steel.
2. Cold Formed, No breakage of tines and high strength.
3. Tines Diameter 1/2" or 5/8" & 4" Long Tines.
4. No lubrication or Adjustment required.
5. Available in Width 4 & 6 feet & can be combined together to make width sizes 8,10,12,14,16 & 18 feet. Pyramid together for width 20 & 24 feet
6. Draw Bars available 4,6,8,10,12,14,16 & 18 feet..
7. Pull required for standard harrow 2HP / foot of width



Heavy Duty Universal Drawbar

Fits Both
Single Rigid Tine
&

Variable Action Chain Harrows

MIXTM


VARIABLE ACTION Chain Link Drag Harrow

PANTHER-40 Tine Diameter 7/16"
JAGUAR-50 Tine Diameter 1/2"
CHEETAH-60 Tine Diameter 5/8"



FEATURES

1. Self Cleaning. Multi Action. Maintenance Free
2. 1045 Carbon Steel Cold Formed, No breakage of tines and high strength.
3. Tine Diameter 7/16", 1/2" or 5/8" & 4" Long Tines
4. No lubrication or Adjustment required.
5. Available in Width 4, 6, 8 & 10 feet & can be combined together to make width sizes 12, 14, 16, 18 feet. Pyramid together for width 20 & 24 feet
6. Draw Bars available 4,6,8,10,12,14,16 & 18 feet.



Printed In USA

PERFECT LINK

111 Magpie Ln. E. Fallowfield PA 19320 USA
 Ph: 877 463 8259 Fx: 484 214 0223
 www.mxag.com

METALX



Printed In USA

MIXTM

HARROW LIFT

The Best solution to transport Flexible Chain Harrows using Cat. I and Cat. II 3 point hitches.

Allows operator to quickly travel and back up with the harrow on surfaced roads or tracks without damaging the property.

Available for 4ft. 5ft. 6ft. 8ft. 10ft. 12ft. wide and up to 8ft long flexible harrows.

Also available for 4' - 5'-6" long Junior flexible harrows

Best tool ever for ground maintenance and management .

Item #	Harrow Width	Length
HL56-45	4' to 5'	4' to 5'-6"
HL56-68	6' to 8'	4' to 5'-6"
HL56-1012	10' to 12'	4' to 5'-6"
HL80-45	4' to 5'	7'-6" to 8'
HL80-68	6' to 8'	7'-6" to 8'
HL80-1012	10' to 12'	7'-6" to 8'

Your Dealer

Distributor:

PERFECT LINK

111 Magpie Ln. E.Fallowfield PA 19320 USA
Ph: 877 463 8259 Fx: 484 214 0223
www.mxagproducts.com

METALX™

MIX™



Chain Harrow Carts

Complete With Hydraulic Cylinder & Hose Holder

Structural Steel Main Frame & 2500 Lb. Axles

Bushings In Wear Parts

Flat Hitch For Easier Hook Up

High Speed Hubs With New Radial Tires

Sizes Available : 20' 22' 24' 28' 30' 32' & 34' Wide